Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.







CRONAMERE ALPINE NURSERIES


INC.

Continuous Bloom in the Rock Garden

Acclimatized Plants____

Shore Road
Greens Farms
Connecticut





Cronamere Alpine Nurseries, Inc.

SHORE ROAD, GREENS FARMS, CONN.
TELEPHONE FAIRFIELD 1329

FOREWORD





ACH AND EVERY YEAR is one of enthusiastic interest and hopeful anticipation to the alpine gardener. Past disappointments are quickly forgotten in the joy of new revelations of beauty and charm. This year our catalogue lists a wealth of plant material with which to beautify your gardens;

rock and alpine plants from the high elevations of mountains and plains throughout the world.

"Why thus sighing, thus forever longing For the far off unattained and dim While the beautiful all 'round thee lying Offers up its low perpetual hymn?"

We wish to take this opportunity to express our sincere appreciation to the many gardening friends who have helped to make Cronamere Alpine Nurseries a success. In this catalogue there are many species and varieties of alpine and rock plants of great beauty. Many of these plants have never before been listed in this country. A cordial invitation is extended to you to visit our rock gardens. Garden Clubs are asked to notify us a week in advance in order that a day may be reserved. It will be of interest to those who were here during 1933 to see the new additions which have been made in our rock and wall gardens.





The Rock Garden in July

I N D E X

	rage		Page
Abelia Grandiflora	36	Anemone Blanda Rosea	15
Acaena Argentea	55	Anemone Coronaria Empress	54
Acaena Glauca	55	Anemone Hupehensis	52
Acaena Microphylla	55	Anemone Patens	4
Acaena Novae Zealandiae	55	Anemone Pulsatilla	25
Acaena Ovalifolia	55	Anemone Sylvestris	4
Acaena Pinnatifida	55	Antennaria Canadensis	4
Acaena Sanguisorbae	41	Antennaria Obovata	15
Acanthophyllum Spinosum .	31	Antennaria Rosea Nana	15
Achillea Ageratum	52	Anthemis Macedonica	32
Achillea Nana	4	Antirrhinum Glutinosum	32
Achillea Argentea	4	Antirrhinum Rock	
Achillea Tomentosa	9	Garden Hybrids	54
Achillea Tomentosa Alba	4	Aquilegia Caerulea	25
Achillea Tomentosa Aurea.	9	Aquilegia Canadensis	16
Aconitum Fisheri	53	Aquilegia Flabellata Nana	4
Aconitum Wilsoni	53	Aquilegia Glandulosa	26
Aethionema Armenum	15	Aquilegia Hybrids	54
Aethionema Coridifolium	15	Aquilegia Jucunda	26
Aethionema Pulchellum	15	Aquilegia Pyrenaica	41
Aethionema Warley Hybrid	15	Aquilegia Vulgaris	54
Agapanthus Mooreanus	41	Arabis Albida Rosea	16
Ajuga Reptans	31	Arabis Alpina	4
Ajuga Reptans Variegata	25	Arabis Alpina Fl. Pl.	4
Allium Flavum	34	Arabis Alpina Nana	
Alyssum Alpestre	10	Compacta	4
Alyssum Idaeum	10	Arabis Alpina Rosea	16
Alyssum Rochellii Major	10	Arabis Procurrens	4
Alyssum Rostratum	10	Arctostaphylos Uva Ursi	4
Alyssum Saxatile Citrinium	10	Arenaria Balearica	4
Alyssum Saxatile Compactum	10	Arenaria Grandiflora	4
Alyssum Saxatile	-0	Arenaria Laricifolia	4
Compactum Fl. Pl	10	Arenaria Montana	4
Alyssum Serpyllifolium	10	Arenaria Verna Caespitosa	32
Alsine Liniflora	4	Armeria Caespitosa	16
Amphicarpa Monoica	36	Armeria Cephalotes Rubra	36
Anaphalis Trifolinervis	31	Armeria Laucheana	16
Anchusa Myosotidiflora	25	Armeria Maritima	16
Androsace Laggeri	15	Arnica Montana	34
Androsace Lanuginosa	36	Artemisia Frigida	34
Androsace Lanuginosa	30	Aster Alpinus	26
Leichtlinii	32	Aster Alpinus Albus	4
Androsace Maxima	3 <i>L</i> 4	Aster Alpinus Dark Beauty.	26
Androsace Primuloides	25	Aster Alpinus Nancy Perry .	
			26
Androsace Sarmentosa Androsace Sarmentosa	15	Aster Andersonii	41
TTT /1 ' ''	1.5	Aster Kumleinii	53
	15		53
Androsace Sempervivoides .	25	Aster Mayure Cyclica	41
Androsace Vitaliana	10	Aster Mauve Cushion	52
Anemone Blanda	25	Aster Patens	41

INDEX (CONTINUED)	Page		Page
Aster Pleiades		Campanula Garganica	
Aster Stracheyi	41	Campanula Garganica	
Aster Subcaeruleus	41	Hirsuta	42
Aster Subcaeruleus	-17	Campanula Glomerata Acaulis	42
	41		42
Leichtlinii	41	Campanula Istriaca	
Aster Trichiphalus	41	Campanula Latifolia	42
Astilbe Chinensis	36	Campanula Leutweinii	42
Astilbe Chinensis Pumilio		Campanula Longifolia	42
Astilbe Simplicifolia	4	Campanula Macrorrhiza	42
Atragene Alpina	26	Campanula Marchessetti	42
Aubrietia Hybrids	54	Campanula Mixed	54
Azalea Amoena	16	Campanula Muralis	42
Azalea Obtusa Japonica	16	Campanula Norman Grove	
Jupou		Seedling	42
Bellis Integrifolia	34	Campanula Persicifolia	42
Bellis Longfellow	54	Campanula Petiolata	42
Bellis Perennis	54	Campanula Pilosa	42
	34	Composulo Dando Poissoni	-
Bellis Rotundifolia	00	Campanula Pseudo-Raineri	42
Caerulescens		Campanula Pulla	42
Bellium Bellidioeides		Campanula Pulloides	42
Bellium Minutum		Campanula Pusilla	42
Bellium Nivale	5	Campanula Pusilla Alba	32
Berberis Concinna		Campanula Pusilla Lissadell	42
Boltonia Latisquama Nana .	37	Campanula Raineri	42
Borago Laxiflora	41	Campanula Robsonii	42
Bruckenthalia Spiculifolia	16	Campanula Rotundifolia	43
•		Campanula Rotundifolia	
Callirhoe Involucrata	37	Var. Olympica	43
Calluna Vulgaris	16	Campanula Sarmatica	43
Caltha Palustris	10	Campanula Saxatilis	43
Campanula Abietina	41	Campanula Speciosa	43
Campanula Alliariaefolia		Campanula Subpyrenaica	43
Campanula Allioni		Campanula Thessalica	43
Campanula Amabilis	41	Campanula Thrysoides	73
Campanula Caesnitasa	41	Campanula Imysolucs	12
Campanula Caespitosa	41	Carniolica	43
Campanula Carpatica	41	Campanula Turbinata	43
Campanula Carpatica	2.2	Campanula Vidallii	32
Grandiflora	32	Cerastium Tomentosum	5
Campanula Carpatica		Cheiranthus Allioni	34
Ditton Blue	41	Cheiranthus Vulcan Improved	37
Campanula Carpatica		Chionodoxa Luciliae	54
Porcelain Blue	41	Chrysanthemum Alpinum	51
Campanula Carpatica		Chrysanthemum Articum	51
Riverslea	41	Chrysanthemum Coreanum	51
Campanula Carpatica		Chrysopsis Villosus	34
White Star	. 32	Commelina Crispa	43
Campanula Carpatica		Convolvulus Mauritanicus	43
Wisley Var.	41	Convolvulus Nuttallianus	37
Campanula China Cup	41	Coronilla Iberica	34
Campanula Collina	42	Corydalis Cheilanthifolia	11
Campanula Excisa	42	Corydalis Lutea	11
Campanula Fenestrellata	42	Cotoneaster Dammeri	5
Campanaia renestrenata	42	Cotonicaster Dalliller	3

INDEX (CONTINUED)	Page	F	age
Cotoneaster Dammeri		Dianthus Squarrosus	5
Radicans	. 5	Dianthus Sundermannii	5
Cotula Squalida	55	Dianthus Superbus	26
Cotyledon Simplicifolia		Dianthus Sylvestris	17
Cracca Virginica		Dianthus Waldsteinii	17
Crawfurdia Trinervis		Dicentra Eximea	37
Crocus Speciosus		Dicentra Formosa	37
Crucianella Stylosa	16	Dicentra Oregana Glauca	5
Cyanathus Longiflorus		Dipsacus Inermis	5
Cyclamen Europaeum		Doronicum Caucasicum	11
Cyclamen Neapolitanum	53	Doronicum Clusii	11
Cytisus Hirsutus		Doronicum Mme. Mason	11
Cytisus Multiflorus	11	Douglasia Vitaliana	11
Cytisus Scoparius		Draba Fladnizensis	5
Oytigus Beopulius		Draba Gracilis	11
D 1 0		Draba Hirta	5
Daphne Cneorum		Draba Johannis	5
Dasystephana Porphyrio	43	Draba Olympica	11
Delphinium Cashmirianum	43	Draha Duranaica	26
Delphinium Chinense		Draba Pyrenaica	
Delphinium Nudicaule	16	Dracocephalum Japonicum .	43
Delphinium Tatsiense	43	Dracocephalum Speciosum .	43
Delphinium Tom Thumb	43	Dryas Octopetala	5
Dianthus Alpinus	16	Dryas Sundermanni	5
Dianthus Alpinus Carmineus	s 16		
Dianthus Alwoodii	54	Echinacea Angustifolia	26
Dianthus Arvernensis		Edraianthus Pumilio	44
Dianthus Beatrix	37	Edraianthus Pumiliorum	26
Dianthus Campestris		Edraianthus Tenuifolius	44
Dianthus Carthusianorum		Epigaea Repens	18
Dianthus Cruentus		Epilobium Amplectens	44
Dianthus Deltoides Albus	5	Epilobium Hectori	32
Dianthus Deltoides		Epilobium Macropus	44
Bowles Variety	17	Epilobium Roseum	37
Dianthus Deltoides	1. /	Epimedium Mixed	55
Brilliant	17	Epimedium Violaceum	26
Dianthus Deltoides Utrecht.		Eranthis Hyemalis	52
Dianthus Frigidus		Erica Carnea	53
Dianthus Graniticus	17	Erica Carnea Alba	51
Dianthus Japonica	1/	Erica Carnea Rosea	53
Grandiflora	17		18
		Erica Compacta Nana	
Dianthus Montanus		Erica Mediterranea	18
Dianthus Monticola	_	Erica Stricta	44
Dianthus Neglectus		Erica Tetralix	18
Dianthus Petraeus		Erica Vagans	37
Dianthus Plumarius	54	Erica Vagans Alba	32
Dianthus Plumarius		Erica Vulgaris	18
Highland Queen	37	Erica Vulgaris Aurea	26
Dianthus Richardi	17	Erica Vulgaris Searlei	5
Dianthus Roysii	17	Erigeron Alpinus	37
Dianthus Seguieri	37	Erigeron Caucasicus	44
Dianthus Spiculifolius	. 17	Erigeron Compositus	44

INDEX (CONTINUED)	Page		Page
Erigeron Elatior	44	Genista Sagittalis	11
Erigeron Glabellus	44	Gentiana Acaulis	26
Erigeron Glaucus		Gentiana Altaica	46
Erigeron Hybridus	40	Gentiana Andrewsii	
Erigeron Macranthus	40	Gentiana Lagodechiana	46
Erigeron Mesa Grande	40	Gentiana Phlogifolia	
Erigeron Mucronatus	37	Gentiana Purdomi	
Erigeron Multiradiatus	40	Gentiana Rochellii	
Erigeron Multiradiatus		Gentiana Saponaria	46
Roseus	37	Gentiana Septemfida	46
Erigeron Pumilus	44	Gentiana Walujewi	6
Erigeron Salsuginosus	44	Geoprumnon Crassicarpum.	
Erigeron Trifidus	44	Geranium Argenteum	
Erigeron Uniflorus	44	Geranium Cinereum	38
Erinus Alpinus	26	Geranium Ibericum	26
Eriogonum Crassifolium	34	Geranium Lancastriense	18
Eriophyllum Caespitosum		Geranium Macrorrhizum	18
Erodium Amanum	. 5	Geranium Pratense	46
Erodium Chamaedryoides		Geranium Pyrenaicum	46
Roseum	. 38	Geranium Sanguineum	18
Erodium Macradenum		Geranium Sanguineum Album	. 32
Erodium Manescavi	. 38	Geranium Sanguineum	
Erodium Supracanum	. 38	Lancastriense	18
Erodium Trichomanefolium	. 38	Geranium Sessiliflorum	6
Erythraea Diffusa Massoni	. 18	Geranium Wallichianum	46
Euonymus Japonicus Aureus	s 56	Geum Borisii	12
Euonymus Kewensis	. 56	Geum Chiloense	
Euonymus Radicans Acutus	s 56	Atrosanguineum	38
Euonymus Radicans		Geum Ciliatum	12
Variegatus	. 56	Geum Fire Opal	38
Euonymus Speciosus	. 56	Geum Heldreichii	
Euonymus Speciosus		Geum Lady Stratheden	12
Var. Silver Queen	. 56	Geum Montanum	
Euphorbia Cyparissias		Geum Orange Queen	12
Euphorbia Myrsinites	. 11	Geum Sibiricum	12
Euphorbia Polychroma	. 11	Globularia Bellidifolia	
		Globularia Nudicaulis	46
Felicia Petiolata Rosea		Globularia Tricosantha	46
Festuca Glauca		Goodyera Pubescens	6
Fuchsia Gracilis	. 38	Gutierrezia Sarothrae	34
		Gypsophila Acutifolia	38
Galanthus Nivalis	. 51	Gypsophila Cerastioides	
Galpinsia Lavendulaefolia		Gypsophila Fratensis	
Gaultheria Procumbens		Gypsophila Repens	32
Gaura Coccinea		Gypsophila Repens Rosea	
Genista Kewensis	. 6	Gypsophila Rokejeka	38
Genista Praecox			
Genista Prostrata		Haberlea Ferdinand Coburgi	i 26
Genista Tinctoria	11	Haberlea Rhodopensis	
Genista Tinctoria Fl. Pl	. 11	Hedera Baltica Variegata	
Genista Tinctoria Elatior .		Hedera Conglomerata	

NDEX (CONTINUED)	Page		Page
Hedera (Heart Shaped Ivy)	5 6	Iberis Sempervirens	7
Hedera Helix Pedata	5 6	Iberis Snowflake	7
Hedysarum Sikkimensis	46	Incarvillea Variabilis	
Helleborus Niger	51	Inula Ensifolia	52
Helleborus Orientalis	5 3	Iris Arenaria	13
Helianthemum Citrinum	12	Iris Autumn King	54
Helianthemum Cupreum	12	Iris Cristata	27
Helianthemum Fire Ball	18	Iris Dichotoma	46
Helianthemum Mutabile	18	Iris Gracilipes	27
Helianthemum Praecox	18	Iris Pumila Atroviolacea	
Helianthemum Speciosum	18	Iris Pumila Cyanea	27
Helianthemum The Bride	6	Iris Pumila Lutea	
Helianthemum Tuberaria	12	Iris Reticulata	
Helianthemum Wendell Rose	18	Iris Sibirica	
Herb List	66	Iris Verna	
Herniaria Glabra	32		
Herniaria Hirsuta	32	Jasione Humilis	46
Heuchera Brizoides	18	Jasione Montana	46
Heuchera Girandole		Jeffersonia Diphylla	7
Compacta	18		
Heuchera Girandole Robusta	19	Kalmia Polifolia	19
Heuchera Micrantha	19	Kalmia Polifolia Microphylla	_
Heuchera Pluie de Feu	19	Ramma I omona wieropnyma	. 15
Heuchera Rosamonde	19	T t T	16
Heuchera Sanguinea	19	Lactuca Lessertiana	
Heuchera Sanguinea Maxima	19	Lagenophora Forsteri	
Heuchera Sanguinea		Lamium Maculatum	
Var. Shirley	19	Lamium Maculatum Album .	
Hieracium Alpinum	34	Lathyrus Ornatus	27
Hieracium Bombycinum	34	Lavendula Atropurpurea	47
Hutchinsia Brevicaulis	6	Nana	
Hypericum Androsaemum	12	Lavendula Vera	47
Hypericum Ascyron	34	Leiophyllum Buxifolium	77
Hypericum Australe	12	Prostratum	
Hypericum Coris	12	Leontopodium Alpinum	
Hypericum Grandiflorum	12	Leontopodium Sibiricum	
Hypericum Hookerianum	12	Leptospermum Ericoides	
Hypericum Linarifolium	34	Leucojum Vernum	
Hypericum Moserianum	34	Lewisia Columbiana	
Hypericum Olympicum	12	Lewisia Columbiana Rosea.	
Hypercium Orientale	12	Lewisia Eastwoodiana	
Hypericum Patulum Henryi	34	Lewisia Finchii	
Hypericum Perforatum	12	Lewisia Heckneri	
Hypericum Polyphyllum	12	Lewisia Howellii	
Hypericum Repens	12	Lewisia Leeana	
Hypericum Reptans	34	Lewisia Nevadensis	
Hypericum Richeri	13	Lewisia Oppositifolia	
Hypericum Tomentosum	13	Lewisia Rediviva	
J. F. T. J. C. T. C.		Lewisia Tweedyi	
T1 ' T 1 '	_	Liatris Punctata	
Iberis Jordani	6	Liatris Scariosa	
Iberis Little Gem	7	Libertia Elliott's Var	7

INDEX (CONTINUED)	Page		Page
Lilium Phillipense		Micromeria Juliana	48
Price's Var	. 7	Micromeria Rupestris	33
Linaria Alpina		Mimulus Alpinus	13
Linaria Canon Went		Mimulus Moschatus	
Linaria Cymbalaria		Mimulus Variegatus	
Linaria Dalmatica		Queen's Prize	13
Linaria Faucicolor		Mitchella Repens	7
Linaria Minor		Muehlenbeckia Nana	56
Linaria Repens			
Linum Alpinum	. 47	Nepeta Mussini	48
Linum Collinum	. 47	Nepeta Nuda	48
Linum Flavum	. 35	Nepeta Souv. Andre Chaudron	48
Linum Narbonnense	47	Nepeta Ukranica	
Linum Perenne		Nierembergia Rivularis	
Linum Salsaloides Nanum.		Wichembergia Kivularis	33
Lithospermum			
Graminifolium	. 47	Oenothera Caespitosa	
Lithospermum Hirtum		Oenothera Fruticosa Major.	35
Lithospermum Petraeum		Oenothera Fruticosa	
Lithospermum	• • •	Youngii	35
Prostratum H. B	. 47	Oenothera Mexicana	
Lobelia Cardinalis		Oenothera Missouriensis	
Lobelia Cardinalis Queen		Oenothera Taraxacifolia	
Victoria	. 53	Omphalodes Luciliae	27
Lobelia Siphilitica	-	Omphalodes Verna	27
Lomatium Foeniculaceum		Omphalodes Verna Alba	7
Lonicera Fragrantissima		Ononis Rotundifolia	
Lotus Corniculatus		Onosma Emodi	39
Lotus Corniculatus Fl. Pl.		Onosma Albo-Roseum	33
Lupinus Mixed		Onosma Tauricum	35
Lychnis Alpina	. 38	Oxalis Adenophylla	21
Lychnis Arkwrightii	. 38	Oxalis Floribunda Alba	
Lychnis Flos-cuculi	. 21	Oxytropis Campestris	
Lychnis Lagascae	. 21	Oxytropis Lambertii	
Lychnis Viscaria	. 21		
Splendens Fl. Pl	. 21	De alamatima Cambari	21
Lysimachia Ciliata	. 35	Pachystima Canbyi	21
Lysimachia Clethroides		Papaver Alpinus	55
Lysimachia Verticillata		Papaver Pilosum	39
Lysimacina verticinata	. 33	Pardanthus Chinensis	
M 1 · · · · ·	20	Paronychia Serpyllifolia	
Malvastrum Coccineum		Pellea Densa	56
Margyricarpus Setosus	. 7	Pentstemon Albidus	33
Mazus Reptans	. 27	Pentstemon Amethyst	40
Mentha Requieni	. 27	Gracilis	
Menziesia Polifolia		Pentstemon Angustifolia	
Menziesia Polifolia Alba		Pentstemon Cardwellii	
Meriolix Serrulata		Pentstemon Erianthera	
Mertensia Oblongifolia	. 27	Pentstemon Gracilis	
Mertensia Lanceolata	. 27	Pentstemon Heterophyllus	
Mertensia Virginica	. 27	Pentstemon Humilis	
Micromeria Dalmatica	. 48	Pentstemon Menziesii	48

INDEX (CONTINUED)	Page	1	Page
Pentstemon Menziesii	- "5"	Potentilla Gelida	14
Var. Davidsonii	48	Potentilla Glandulosa	14
			14
Pentstemon Procerus		Potentilla Glandulosa	1.4
Pentstemon Pubescens		Var. Wrageliana	14
Pentstemon Rupicola		Potentilla Hookeriana	14
Pentstemon Torreyi		Potentilla Nepalensis	22
Pentstemon Unilateralis		Potentilla Nevadensis	14
Phlox Adsurgens	21	Potentilla Nitida	39
Phlox Amoena	21	Potentilla Reptans	36
Phlox Brittonii Alba		Potentilla Salmon Beauty	39
Phlox Brittonii Var.		Potentilla Thomasiniana	14
Atropurpurea	27	Potentilla Tonguei	36
Phlox Cowardi	22	Potentilla Tridentata	8
Phlox Diffusa	27	Potentilla Villosa	14
Phlox Divaricata	27	Potentilla Warrensii	14
Phlox Divaricata Laphamii.	27	Pratia Angulata	8
Phlox Douglasii	28	Primula Acaulis Alba Fl. Pl.	8
Dhlow Hood:	28 7	Primula Acaulis Alba 11. 11.	O
Phlox Hoodii	22		20
Phlox Kelseyi		Atropurpurea Fl. Pl	29
Phlox Stolonifera Reptans	22	Primula Acaulis	0.0
Phlox Subulata	-00	Heavenly Blue	29
Apple Blossom		Primula Acaulis Hybrids	55
Phlox Subulata Atropurpurea		Primula Acaulis Miss Massie	29
Phlox Subulata Nelsoni		Primula Acaulis Rosea	22
Phlox Subulata The Bride		Primula Auricula Hybrids	55
Phlox Subulata Vivid		Primula Bulleyana	14
Phlox Subulata G. F. Wilson	28	Primula Capitata	29
Phyteuma Hemisphaericum .	28	Primula Cashmeriana	
Phyteuma Orbiculare		Hybrids	55
Phyteuma Scheuchzeri		Primula Chionantha	8
Phyteuma Spicata	8	Primula Chrysopa	29
Phyteuma Spicata Nigra	28	Primula Chungensis	14
Phyteuma Wagneri	28	Primula Clusiana	22
Pieris Nitida	56	Primula Cockburniana	14
Platycodon Mariesii	48	Primula Columnae	14
Platycodon Mariesii Album.		Primula Conspersa	29
Plumbago Larpentae		Primula Cortusoides	23
Polemonium Confertum		Primula Duplex	23
		Hose in Hose	1.4
Polemonium Humile	29	Hose-in-Hose	14
Polemonium Reptans		Primula Edina	23
Polygonum Affine		Primula Elatior	14
Polygonum Vaccinifolium		Primula Farinosa	23
Potentilla Alpestris	13	Primula Florindae	14
Potentilla Aurea	13	Primula Frondosa	23
Potentilla Argyrophylla	13	Primula Glaucescens	30
Potentilla Calabra	13	Primula Glutinosa	30
Potentilla Cinerea	13	Primula Grandiflora Hybrids	55
Potentilla Double Mixed	55	Primula Integrifolia	23
Potentilla Euriocarpa	13	Primula Japonica	
Potentilla Fragiformis	14	American Beauty	23
Potentilla Fulgens	39	Primula Japonica Hybrids	23

	Page		Page
Primula Juliae	30	Rosa Foliolosa	33
Primula Juliae Hybrids	30	Rosa Nitida	40
Primula Microdonta Alpicola	14	Rosa Polyantha Nana	40
Primula Munstead Strain	55	Rosa Prairie Rose	40
Primula Nutans	30	Rosa Roulettii	40
Primula Officinalis	23	Ruellia Occidentalis	49
Primula Pulverulenta	23		
Primula Saxatilis		Sagina Subulata	9
Primula Secundiflora		Sanguineria Canadensis	9
Primula Sieboldii	23	Santolina Incana	36
Primula Sino Purpurascens.		Saponaria Ocymoides	24
Primula Veris Elatior		Saxifraga 57, 58, 59	, 60
Polyanthus	55	Scabiosa Caucasica	49
Primula Veris Hybrids		Scabiosa Graminifolia	49
Primula Wulfeniana		Scilla Bifolia	54
Prunella Grandiflora		Scilla Sibirica	54
Prunella Laciniata	49	Scutellaria Angustifolia	49
Prunella Laciniata Alba	33	Scutellaria Orientalis	36
Prunella Vulgaris	49	Scutellaria Resinosa	49
Prunella Webbiana	49	Scutellaria Sp.	49
Pulmonaria Saccharata		Sedum 61, 62,	
- umonaria baccharata	30	Sempervivum 63, 64,	65
		Senecio Incanus	36
Ramondia Pyrenaica	30	Shortia Galacifolia	33
Ranunculus Crenatus	9	Sibboldia Procumbens	33
Ranunculus Gramineus	14	Grandiflora	56
Ranunculus Montanus		Sidalcea Hybrida	40
Ranunculus Pumilio	14	Sideranthus Spinulosus	52
Ranunculus Repens		Silene Acquis	9
Raoulia Australis		Silene Acaulis	9
		Silene Californica	24
Rhododendron Ferrugineum	ı 24	Silene Flavorsons	-
Rhododendron Indicum		Silene Flavescens	15
Ben Kirisma	24	Silene Hookeri	24
Rhododendron Indicum		Silene Maritima Fl. Pl	33
Satsuki	24	Silene Maritima Rosea	40
Rhododendron Indicum		Silene Monachorum	33
Macrantha	. 24	Silene Saxifraga	33
Rhododendron Indicum		Silene Schafta	40
Macrantha Orange	24	Sisyrinchium Californicum .	15
Rhododendron Racemosum.		Sisyrinchium Gramineum	30
Rhododendron Sp.		Sisyrinchium Pachyrhizum .	15
Kocho-no-Kawa	24	Sisyrinchium Tanacetifolium	30
Rhododendron Sp. Illuminata		Sisyrinchium Varians	30
Rhododendron Sp. Indiminata	L 27	Soldanella Alpina	30
Mrs. Carmichael	24	Solidago Glaberrima	52
Rhododendron Sp. Osakazuki			
Rhododendron Sp. Osakazuki	4 4	Solidago Wardii	52
Wareigishi	24	Sparaxis Pulcherrima	49
Rhododendron Sp. Yazakura		Stachys Corsica	33
		Stachys Lanata	49
Rodgersia Aesculifolia			
Rodgersia Sambucifolia	. 33	Statice Bellidifolia	49

I	NDEX (CONTINUED)	Page		Page
	Statice Dumosa	49	Veronica Hookeri	9
	Symphyandra Wanneri		Veronica Incana	50
	Synthyris Rotundifolia		Veronica Pectinata	30
	Synthyris Sweetseri		Veronica Pectinata Rosea	24
	•		Veronica Prostrata	30
	Talinum Calycinum	40	Veronica Quateriana	30
	Tanacetum Sp. Balkans		Veronica Repens	30
	Tellima Grandiflora	24	Veronica Repens Rosea	24
	Tetraneuris Simplex		Veronica Rupestris	
	Tetraneuris Stenophylla		Heavenly Blue	31
	Teucrium Chamaedrys		Veronica Repestris Nana	31
	Teucrium Chamaedrys		Veronica Saxatilis	31
	Prostratum	40	Veronica Spicata	50
	Thalictrum Dipterocarpum .		Veronica Spicata Nana	51
	Thalictrum Glaucum	15	Veronica Teucrium Trehanii	31
	Thalictrum Sp		Veronica Wardiensis	51
	Thlaspi Jankaea	9	Vinca Minor	31
	Thlaspi Limosellaefolium	24	Viola Admiration	51
	Thlaspi Violascens	30	Viola Arkwright Ruby	53
	Thymus	65	Viola Blanda	9
	Tiarella Cordifolia	9	Viola Bosniaca	31
	Townsendia Exscapa		Viola Bosniaca	
	Tradescantia Bracteata	40	Crimson King	24
	Tradescantia Brevicaulis		Viola Cornuta Blue	
	Tradescantia Occidentalis	49	Perfection	51
	Tradescantia Virginica		Viola Cornuta Hybrids	55
	Tradescantia Virginica Alba		Viola Cornuta Papilio 51	
	Trollius Acaulis	15	Viola Florariensis	31
	Trollius Europaeus	15	Viola Heterophylla	31
	Trollius Genuinus		Viola Hybrida Haslemere	31
	Tunica Saxifraga	40	Viola Maggie Mott	31
	Tunica Saxafraga Fl. Pl	40	Viola Odorata Rosina	24
	Tuou Duurrugu III III		Viola Pedata	51
	Ulex Europaeus	36	Viola Pedata Bicolor	51
	Umbillicus Chrysanthus	15	Viola Riviniana	31
	Ombinicus Cinysantiius	13	Viola Royal Gem	31
	TT ' TT'.' T1		Viola Sagittata	31
	Vaccinium Vitis-Idaea	_	Viola Striata	9
	Var. Minus	9	Viola Sylvestris Rosea	24
	Verbena Alpina	40	Viola W. H. Woodgate	31
	Verbena Bipinnatifida	49	•	
	Verbena Bracteosa	50	Waldan bandi Dina i	
	Verbena Canadensis	50	Wahlenbergia Dinarica	51
	Verbena Hastata	50	Wahlenbergia Gracilis	51
	Verbena Venosa	50	Wahlenbergia Pumilio	51
	Veronica Amethystina	50	Wahlenbergia Tasmanica	51
	Veronica Baileyana	50	Wulfenia Carinthiaca	31
	Veronica Chamaedrys	50		
	Veronica Filiformis	30	Xanthroxalis Stricta	36
	Veronica Gentianoides	30		
	Veronica Guthriana	50	Zanachmania California	50
	Veronica Himalayensis	50	Zauschneria Californica	5 3

All rock plants require firm planting, good drainage and stone chips over the surface of the soil and under the foliage. The rare and diminutive types of alpines should have a section to themselves to prevent the encroachment of plants of a more robust or rampant nature. Most alpines should be cut back after the blooming period is past which will ensure a second bloom in many species. While not absolutely necessary, a light covering of salt hay should be placed over the rock garden in winter in climates where cold frosty winds prevail and there is no protecting blanket of snow. In spring a top dressing of sand and leaf soil is very beneficial, adding lime for plants which require it.

A CAREFUL PERUSAL OF OUR CATALOGUE WILL ENABLE YOU TO MAKE A SELECTION OF PLANTS WHICH WILL PRODUCE A PROFUSION OF BLOOM AT CERTAIN SEASONS, OR CONTINUOUS BLOOM THROUGHOUT THE YEAR.

This catalogue includes only a partial number of the many species and varieties of alpine and rock plants which we can supply, and, in case you do not find the plants you desire listed, kindly write us your

requirements.

The following list of plants have been tested for hardiness. All our plants are thoroughly acclimatized in this section before being sent to the customer. We have found after they become accustomed to our climatic conditions in New England that their growth and cultivation present very few difficulties or losses when transplanted into other gardens.

WE HAVE A TRAINED GROUP OF MEN, WHO ARE THOROUGHLY EXPERIENCED IN THE CONSTRUCTION OF ROCK GARDENS, AND THE BUILDING OF WALLS AND POOLS. ADVICE GIVEN FREELY ON THESE SUBJECTS.

We strive to the best of our knowledge and ability to have our plants true to name, but cannot be held responsible in case mistakes sometimes occur.

TERMS OF SALE

Sufficient money must be added to order to cover cost of postage. Our terms are strictly cash, but we will ship C. O. D. provided 25% of the amount of the order is remitted.

Where two prices are mentioned, the last is quoted for specimen

size plants.

Plants leave our nurseries in fine, healthy condition. All plants are inspected and carefully packed according to the best methods to insure safe transportation.

We cannot be liable for cases of failure due to transportation or

other causes.

10% discount is allowed on 10 plants of one variety.

WHITE

Spring and Early Summer (Early March until July)

Dalmatia	ACHILLEA	3 for
Europe. New	Argentea. Silvery foliage. Pure white flowers. Height 4 in.	
Europe. New	Dalmatia	1.00
Tomentosa alba. Dwarf habit. White flowers. Europe and North America. each 30c ALSINE—Liniflora. Tufted foliage. Large pure white flowers. Europe. Very choice. each 60c ANDROSACE—Androsaces require good drainage, gritty loam and sunny situation. Maxima. Small flat green rosette bearing dainty white flowers. each 35c ANEMONE Patens. (Pasque flower) Large showy white or blue flowers in early spring. each 30c Sylvestris. Pure white fragrant flowers. Height 1½ ft. Europe and Southwestern Asia. each 25c ANTENNARIA—Canadensis. Fine silvery grey foliage with white closed flowers on 4 in. stems, Useful for carpeting and paving. North America. each 25c AQUILEGIA—Flabellata Nana, Beautiful dwarf species with pure white flowers. Japan. One of the best. Shade and leafmold. each 35c ARABIS—Sun or partial shade. Alpina, Oblong leaves. White flowers. Europe. each 25c Alpina Fl, Pl, Double flowering white variety, Europe. ea. 35c Alpina Nana Compacta, Pure white flowers. Height 6 in. each 30c Procurrens, A valuable plant with small close growing clustered green foliage forming wide mats. White flowers followed by red berries. Rare and fine. each 30c ARENARIA Balearica. Dainty carpeting plant with white flowers each 30c Laricifolia. Large white flowers. Height 6 in. Europe. each 30c Laricifolia. Large white flowers. Height 6 in. Switzerland each 30c Montana, Close tufts covered with charming white flowers in early spring, A valuable rock plant. each 30c 85 85 86 87 88 88 89 89 89 89 89 89 89	Furne New 1011age. White nowers, neight 0 iii.	1 10
North America	Tomentosa alba Dwarf habit White flowers Furone and	1.10
ALSINE—Liniflora, Tufted foliage. Large pure white flowers. Europe. Very choice		.85
ANDROŚACE—Androsaces require good drainage, gritty loam and sunny situation. Maxima. Small flat green rosette bearing dainty white flowers	ALSINE—Liniflora. Tufted foliage. Large pure white flowers.	
and sunny situation. Maxima. Small flat green rosette bearing dainty white flowers. ANEMONE Patens. (Pasque flower) Large showy white or blue flowers in early spring. ASSylvestris. Pure white fragrant flowers. Height 1½ ft. Europe and Southwestern Asia. ANTENNARIA—Canadensis. Fine silvery grey foliage with white closed flowers on 4 in. stems. Useful for carpeting and paving. North America. AQUILEGIA—Flabellata Nana. Beautiful dwarf species with pure white flowers. Japan. One of the best. Shade and leafmold. ARABIS—Sun or partial shade. Alpina, Oblong leaves. White flowers. Europe. Alpina Fl. Pl. Double flowering white variety. Europe. ea. 35c Alpina Nana Compacta. Pure white flowers. Height 6 in. each 30c Procurrens. A valuable plant with small close growing clustered green foliage forming wide mats. White flowers. ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers followed by red berries. Rare and fine. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers followed by red berries. Rare and fine. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers followed by red berries. Rare and fine. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 40c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers. each 30c ARCTOSTAPHYLOS—Uva Ursi. Low evergreen	Europe. Very choice each 60c	1.65
Maxima. Small flat green rosette bearing dainty white flowers		
flowers		
ANEMONE Patens. (Pasque flower) Large showy white or blue flowers in early spring. Sylvestris. Pure white fragrant flowers. Height 1½ ft. Europe and Southwestern Asia. ANTENNARIA—Canadensis, Fine silvery grey foliage with white closed flowers on 4 in. stems. Useful for carpeting and paving. North America. AQUILEGIA—Flabellata Nana. Beautiful dwarf species with pure white flowers. Japan. One of the best. Shade and leafmold. ARABIS—Sun or partial shade. Alpina. Oblong leaves. White flowers. Europe. Alpina FI. Pl. Double flowering white variety. Europe. ea. 35c Alpina FI. Pl. Double flowering white flowers. Height 6 in. Each 30c Procurrens. A valuable plant with small close growing clustered green foliage forming wide mats. White flowers. CARCTOSTAPHYLOS—Uva Ursi, Low evergreen with white flowers followed by red berries. Rare and fine. Each 40c ARENARIA Balearica. Dainty carpeting plant with white flowers. each 30c Grandiflora. Large pure white flowers in spring. Height 6 in. Europe. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Europe. Europe. Each 30c Laricifolia. Large white flowers in spring. Height 6 in. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Europe. Each 30c Laricifolia. Large white flowers. Height 6 in. Switzer- land Each 30c Each 30c Laricifolia. Large white flowers. Height 6 in. Switzer- land Each 30c Each 30		1.00
Patens. (Pasque flower) Large showy white or blue flowers in early spring		1.00
in early spring		
Sylvestris. Pure white fragrant flowers. Height 1½ ft. Europe and Southwestern Asia	in early spring each 30c	.85
ANTENNARIA—Canadensis. Fine silvery grey foliage with white closed flowers on 4 in. stems. Useful for carpeting and paving. North America	Sylvestris. Pure white fragrant flowers. Height 1½ ft. Europe	
white closed flowers on 4 in. stems. Useful for carpeting and paving. North America		.65
and paving. North America		
AQUILEGIA—Flabellata Nana. Beautiful dwarf species with pure white flowers. Japan. One of the best. Shade and leafmold		65
pure white flowers. Japan. One of the best. Shade and leafmold		.03
leafmold		
Alpina. Oblong leaves. White flowers. Europe each 25c Alpina Fl. Pl. Double flowering white variety. Europe. ea. 35c Alpina Nana Compacta. Pure white flowers. Height 6 in		1.00
Alpina Fl. Pl. Double flowering white variety. Europe. ea. 35c Alpina Nana Compacta. Pure white flowers. Height 6 in	ARABIS—Sun or partial shade.	
Alpina Nana Compacta. Pure white flowers. Height 6 in		
in		1.00
Procurrens. A valuable plant with small close growing clustered green foliage forming wide mats. White flowers		95
clustered green foliage forming wide mats. White flowers	Procurrens A valuable plant with small close growing	.03
flowers		
ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white flowers followed by red berries. Rare and fine each 50c ARENARIA Balearica. Dainty carpeting plant with white flowers. each 30c Grandiflora. Large pure white flowers in spring. Height 6 in. Europe each 30c Laricifolia. Large white flowers. Height 6 in. Switzerland each 35c Montana. Close tufts covered with charming white flowers in early spring. A valuable rock plant each 30c .85	flowers each 40c	1.10
ARENARIA Balearica. Dainty carpeting plant with white flowers. each 30c Grandiflora. Large pure white flowers in spring. Height 6 in. Europe	ARCTOSTAPHYLOS—Uva Ursi. Low evergreen with white	
Balearica. Dainty carpeting plant with white flowers. each 30c Grandiflora. Large pure white flowers in spring. Height 6 in. Europe each 30c Laricifolia. Large white flowers. Height 6 in. Switzerland each 35c 1.00 Montana. Close tufts covered with charming white flowers in early spring. A valuable rock plant each 30c		1.40
Grandiflora. Large pure white flowers in spring. Height 6 in. Europe	· · · · · · · · ·	0.5
Europe	Grandiflora I arga pure white flowers in spring Height 6 in	.05
Laricifolia. Large white flowers. Height 6 in. Switzer-land each 35c 1.00 Montana. Close tufts covered with charming white flowers in early spring. A valuable rock plant each 30c .85		85
land each 35c 1.00 Montana. Close tufts covered with charming white flowers in early spring. A valuable rock plant each 30c .85		.00
in early spring. A valuable rock plant each 30c .85		1.00
	Montana. Close tufts covered with charming white flowers	
ASTER—Alpinus Albus. A fine variety of dwarf Aster with		.85
white flowers. Height 8 in. Europe and North America. Sandy loam in full sun each 25c .65		65
ASTILBE—Simplicifolia. Dainty dwarf plant with glossy	ASTILBE—Simplicifolia. Dainty, dwarf plant with glossy	.03
	leaves and short spires of fluffy white or pink flowers. 6 in.	
leaves and short spires of nuny white or pink nowers, o in.	high. Japan. Very fine each 50c	1.40
leaves and short spires of nuny white or pink nowers, o in.		1.40

SPRING AND EARLY SUMMER 3 for BELLIUM Bellidioeides. Dainty white miniature daisy tinted pink. each 40c 1.10 1.00 Minutum. Neat small-flowered white Alpine Daisy. each 35c Nivale. Slightly taller growing variety than the above with charming white flowers. each 40c 1.10 CERASTIUM—Tomentosum. Masses of grey foliage and white flowers. each 25c .65 COTONEASTER Dammeri. (Better known as C. Humifusa) Splendid ground cover for steep slopes; also valuable for trailing over rocks. Pretty glossy leaves and large flowers followed by coral red berries. China. each \$1.00 Dammeri Radicans. Fine for trailing over large stones or banks. A beautiful mat forming type of Cotoneaster. One of E. H. Wilson's finds in China. Entirely prostrate, rooting from the branches. The small evergreen leaves are intensely shiny. Large pure white flowers followed by bright red DIANTHUS—Require full sun in sandy loam. Deltoides Albus. Mat-forming variety. White flowers with dark rose eye. North America. each 25c .65 Petraeus. New. Mat-forming variety with sharp pointed green leaves. Fragrant white flowers about 3/4 in. across. Eastern Europe. each 35c 1.00 Squarrosus. New. A small edition of Dianthus Superbus with pure white fragrant flowers. each 35c 1.00 Sundermannii. Rare Macedonian species. Large white flowers each 50c 1.40 DICENTRA—Oregana Glauca. Silvery foliage and glistening white flowers. Full sun. Rare and fine. North America. 2.00 DIPSACUS—Inermis. New. Prickly herb of thistle-like aspect. White flowers. Europe. each 35c 1.00 DRABA Fladnizensis. Forms cushions 2 to 3 in. high. Basal leaves and white flowers. High alpine. Sun. each 35c 1.00 Hirta. Narrow leaves and milk-white flowers. Height 6 in. Sub-Arctic Eurasia. each 35c 1.00 Johannis. Loose mats. Small white flowers. New. Supply limited. each 50c 1.40 DRYAS Octopetala. Flat evergreen carpets of very small Oak-like leaves with white Anemone-like flowers during spring and summer. It flowers most freely in very limy soil. each 75c 2.00 Sundermannii. Mat forming foliage. Fine white flowers followed by attractive fluffy seed pods. each 60c 1.65 ERICA-Vulgaris Searlei. Lovely dark green foliage. White flowers. Partial shade and acid, peaty soil. each 50c and \$1.00 ERODIUM—Amanum. Soft blue-grey foliage with white blossoms having yellow centers. Very effective. Full sun. Sandy leaf soil and loam. each 75c 2.00

WHITE (CONTINUED) SPRING AND EARLY SUMMER 3 for GAULTHERIA — Procumbens. Charming dwarf evergreen with clusters of pinkish white flowers followed by rich red berries. North America. Acid soil; moisture. each 30c GENISTA—Full sun, sandy loam. Fine for walls. Kewensis. Dwarf spreading habit. 1 ft. high. Creamy white

flowers in May. Rare. each \$1.25 Praecox. Compact shrub with beautiful cream colored blos-

soms in early spring. each \$1.00

Iberis Snowflake

GENTIANA —Rich sandy loam in partial shade.	
Walujewi. Large white flowers dotted with pale blue in a	
terminal cluster. Strong growing plant from Turke-	
stan each 50c	1.40
GERANIUM—Sessiliflorum. Low tufts of dark green leaves;	
milk-white blossoms. Mountains of Chile each 75c	2.00
GOODYERA—Pubescens. (Rattle-snake Orchid) Ornamental	
foliage with silver veins. White flowers each 20c	.50
GYPSOPHILA—Cerastioides. Dwarf compact plant. White	
flowers veined with red. Height 4 in. Himalayas. each 50c	1.40
HELIANTHEMUM—The Bride. Large pure white flowers.	
Full sun and light loam each 35c and 50c	
HUTCHINSIA—Brevicaulis. New. Tiny finely cut foliage with	
white flowers. Shade and leaf soil. Height 3 in. each 35c	1.00
IBERIS	
Jordani. Close growing green mats, completely covered with	
white flowers each 35c	1.00

WHITE (CONTINUED)

SPRING AND EARLY SUMMER	3 for
IBERIS	3 101
Little Gem. Dwarf species of upright habit. Neat heads of	1 00
pure white flowers each 35c Sempervirens. Spreading evergreen mats. Pure white	1.00
flowers each 30c	.85
Snowflake. Glistening white flowers. Very fine each 30c	.85
JEFFERSONIA—Diphylla. Divided shield-shaped leaves, blue-	
grey underneath. White flowers on foot high stems in	2.00
May. North America. Very fine each 75c LEIOPHYLLUM — Buxifolium Prostratum. Prostrate and	2.00
densely branched. Small white or pink flowers in spring.	
Mountains of North Carolina and Tennessee. Particularly	
fine each 75c and \$1.00	
LEONTOPODIUM—Full sun, poor soil.	
Alpinum. (Edelweiss) White flannel flowers. 6 in. Pyrenees and Alps	.85
Sibiricum. Oblong-linear webby leaves. Large flowered form	.03
from Russia each 30c	.85
LEWISIA	
Eastwoodiana. Foliage like Lewisia Columbiana. Cluster	
heads of many small white flowers. New and rare. Good drainage and partial shade, sand, leaf soil and good	
loam each 75c	2.00
Nevadensis. One of the deciduous species with a rosette of	
basal linear leaves. Flowers white tinted lavender, each 50c	1.40 1.40
Oppositifolia. Profusion of white cup-like flowers. each 50c LIBERTIA—Elliott's Variety. New. Clusters of lovely ivory	1.40
white flowers. April and May; sometimes in late summer.	
Requires sheltered position in light sandy soil. Full sun.	
each 50c	1.40
LILIUM—Phillipense Price's Variety. Fragrant white flowers	1 65
tinged with green. 10 in. tall. Philippine Islands. each 60c	1.65
MARGYRICARPUS—Setosus. (Pearl Berry). Trailing ever- green shrub with inconspicuous flowers followed by large	
pearly white berries. Height 1 ft. South America. each \$1.00	2.75
MITCHELLA - Repens (Partridge Berry). Evergreen	
useful in the rock garden as a ground cover for shady moist situations. White flowers followed by scarlet fruit.	
North America each 25c	.65
OMPHALODES—Verna Alba. Large heart shaped leaves.	
Masses of white forget-me-not like flowers each 50c	1.40
PHLOX Brittonii Alba Lovely new veriety Tiny bushlets covered	
Brittonii Alba. Lovely new variety. Tiny bushlets covered with star shaped white flowers. Compact habit each 50c	1.40
Hoodii (Planitiarum). Very neat and compact with needle-	1.10
like leaves. Large white blossoms. Height 4 in each 30c	.85
Subulata Nelsoni. White blossoms tinted lavender. each 25c Subulata The Bride. White flowers with pink eye each 25c	.65 .65
Subulata The Diffe. Wille howers with plik eye each 250	.03

WHITE (CONTINUED)	8
SPRING AND EARLY SUMMER	3 for
PHYTEUMA—Spicata. Rare. Cream colored or blue flowers. Europe. Full sun, sand and leaf soil each 50c	1.40
POTENTILLA—Tridentata. A fine low-growing species with dark green leathery leaves and large white flowers. Canada each 30c	.85
PRATIA—Angulata. New. Mats of small close-growing leaves from which spring starry white flowers followed by purple berries. New Zealand each 50c	1.40



Potentilla Tridentata

PRIMULA

Acaulis Alba Fl. Pl. A beautiful hybrid, the blossoms resembling small double roses each \$1.00	2.75
Chionantha. Beautiful ivory white flowers produced in early spring each 50c	1.40

WHITE (CONTINUED)

SPRING AND EARLY SUMMER	3 for
RANUNCULUS—Crenatus. New and rare. Dark green leaves scalloped and pointed. Stout stems and beautiful large white flowers. Central Europe each 50c	1.40
RAOULIA—Australis. Mats of glistening silver. Less than an	_,,,
inch high. New Zealand. Warm sandy soil in full sun. Rare.	1.40
Hardy each 50c	1.40
SAGINA—Subulata. Mossy ground cover for shade. White starry flowers in May and June each 30c	.85
SANGUINERIA—Canadensis. Beautifully scalloped foliage.	
Lovely white flowers each 30c	.85
SILENE Acquire Mote of bright groon moss like folioge. Almost stom	
Acaulis. Mats of bright green moss-like foliage. Almost stemless pink flowers in June and July. Requires a little shade	
during the hottest part of the summer each 30c	.85
Alpestris Grandiflora. Delicate branching stems about 6 in. high carrying showers of white flowers with fringy petals.	
Likes a cool place and rich light soil each 50c	1.40
THLASPI—Jankaea. Tufts of silvery leaves and sprays of	0.7
white flowers. Fragrant. 2 to 3 in each 30c TIARELLA—Cordifolia (Foam Flower). Tufts of broad	.85
leaves lobed and toothed. Racemes of creamy-white flowers.	
Height 12 in each 30c	.85
TOWNSENDIA — Exscapa. Low rosettes of narrow, oval, greyish leaves. Wide Aster-like flowers of white, or pink.	
Rare and beautiful. Full sun. Sandy soil each 40c	1.10
VACCINIUM — Vitis-Idaea Var. Minus. A small shrub with	
evergreen foliage. Lovely urn-shaped flowers in graceful terminal racemes, white flecked with red, followed by	
crimson berries. Requires humus or leaf soil. Shade. each \$1.	2.75
VERONICA—Hookeri. New. Dwarf evergreen shrublet. Pro-	
fusion of white spotted flowers. Height 6 in. Very attractive	1.40
VIOLA	1.10
Blanda. Close-growing habit. Sweet scented white flowers.	1 00
Height 2 to 3 in. North America each 35c Striata. Fine foliage of heart-shaped leaves covered all	1.00
summer and autumn with lovely white violets. A fine and	
attractive plant for the rock garden each 50c	1.40
	
YELLOW AND ORANGE	
Spring and Early Summer	
ACHILLEA Tomentosa. Dwarf variety with golden flowers and ferny	
foliage making fine effect. Long blooming season. Height	
6 in each 25c	.65
Tomentosa Aurea. Handsome grey-green ferny foliage. Bright golden flower heads. Dwarf habit. Europe and North	
America each 25c	.65

YELLOW AND ORANGE (CONTINUED) 10 SPRING AND EARLY SUMMER 3 for ALYSSUM Alpestre. Prostrate form with grey foliage and yellow flowers, in short racemes. 3 to 4 in. high. Europe. Long period of bloom. New. each 35c 1.00 Idaeum. Dwarf plant with grey-green foliage and yellow flowers. Crete. One of the best. each 40c 1.10 Rochellii Major. Loose tangles of twisted branches. Grey leaves and golden flowers. Long blooming period. each 50c 1.40 Rostratum. Trailing prostrate branches. Very effective over large stones or for rock wall. Golden flowers produced continuously through summer and autumn. each 30c .85 Saxatile Citrinum. Dwarf compact habit. Grey foliage and masses of pale yellow flowers. Very showy. 6 in. high. each 35c 1.00 Saxatile Compactum. Abundant yellow flowers. Height 9 each 25c .65 Saxatile Compactum Fl. Pl. Double flowering form of the above. Very beautiful and rare. each 60c 1.65 Serpyllifolium. Prostrate growth. Grey foliage and pretty yellow flowers. each 35c 1.00



2.00
.65

11 YELLOW AND ORANGE (CONTINUED)	
SPRING AND EARLY SUMMER	3 for
CORYDALIS	3 101
Cheilanthifolia. Beautiful fern-like foliage and clear yellow	
flowers. Height 12 in each 40c	1.10
Lutea. The best of the family. Lovely fern-like foliage and	2.20
golden blossoms. Spring until frost. Height 8 in.	
Shade each 50c	1.40
COTYLEDON—Simplicifolia. Low tufts from which spring	1.10
gracefully arched stems bearing tiny golden flowers. Sun	
and sandy soil each 35c	1.00
CYTISUS	2.00
Hirsutus. A shrublet with hairy foliage and large bright	
golden flowers. 18 in. May and June. Southeastern	
Europe each 75c	
Multiflorus. A charming type with an abundance of yellow	
flowers. May to July each 75c	
Scoparius (Scotch Broom). Yellow flowers. Spring and	
summer. Europe each 75c	
DORONICUM	
Caucasicum. Large yellow blossoms on 2 ft. stems. each 35c	1.00
Clusii. Bright green foliage with a profusion of large yellow	
blossoms. Dwarf each 50c	1.40
Mme. Mason. New. Delightful large yellow flowers appearing	
in spring. Dwarf form each 40c	1.10
DOUGLASIA-Vitaliana. Ash-grey tufts. Stemless golden	
flowers. Shade. Pyrenees. A rare treasure each 75c	2.00
DRABA	
Glacialis. Similar to D. Alpina. Broad leaves with stiff white	
edging. Beautiful golden blossoms on short stems.	
New each 75c	2.00
Olympica. Dull green foliage. Sprays of yellow flowers. Par-	
tial shade. Very beautiful. Mediterranean region. each 50c	1.40
EUPHORBIA—Full sun and poor sandy soil.	
Cyparissias. Like a miniature Cypress, with many yellow	
flower-like bracts during May and June. Height 8	
in each 50c	1.40
Myrsinites. Prostrate evergreen. Handsome blue-green	
leaves. Showy heads of golden yellow. Decorative foliage	
all year each 35c	1.00
Polychroma. Showy yellow bracts. Very symmetrical growth.	
Height 12 in each 50c	1.40
GENISTA—Full sun, sandy loam. Fine for walls.	
Prostrata. Prostrate shrub, yellow flowers. Very fine. ea. 50c	
Sagittalis. Prostrate species. Bright yellow flowers. Dwarf	
habit each 75c	
Tinctoria. Fine shrublet. Golden-yellow flowers. each 50c	
Tinctoria Fl. Pl. An almost prostrate form with spikes of	
double golden-yellow flowers each 75c	
Tinctoria Elatior. Supply limited. Fine upright growing form	
with long sprays of golden yellow flowers. Height 2	
ft each \$1.00	

YELLOW AND ORANGE (CONTINUED)	12
SPRING AND EARLY SUMMER	3 for
GEUM—Full sun and rich loam.	
Borisii. Large orange scarlet flowers on short branching	
stems. Height 9 to 12 in. In flower from spring until frost each 50c	1.40
Ciliatum. New. Fine yellow flowers, 3/4 in. across. North	1.70
America each 60c	1.65
Heldreichii. Dwarf species with deep orange-red flowers.	1 00
Greece. 8 in. Continuous bloom each 35c Lady Stratheden. Rich golden-yellow flowers. Blooms all	1.00
summer each 35c	1.00
Montanum. Dwarf alpine species with large yellow flowers	
followed by pink whorls of seed heads. Alpine region of	1.40
Europe each 50c Orange Queen. Exceptionally fine variety with large double	1.40
orange colored blossoms each 50c	1.40
Sibiricum. Large coppery-scarlet flowers on 10 in. stems.	
Long season of bloom each 50c	1.40
HELIANTHEMUM—Full sun and light loam.	
Citrinium. A compact growing type with golden flowers.	
Spring and again in the autumn each 35c and 50c Cupreum. Loose spreading mats. 4 to 5 in. Orange yellow	
flowers. Blooms in spring and again in fall. each 35c and 50c	
Tuberaria. A beautiful plant of rosetted form with racemes	
of fine golden flowers. May and June. Rare. Leaf soil and	0.00
partial shade. Europe each 75c HYPERICUM	2.00
Androsaemum. New. Semi-evergreen shrub. Small yellow	
flowers, followed by red and black fruit. Very fine and	
rare each 50c	1.40
Australe. New. Beautiful pearl grey trailing foliage. Golden	1 10
blossoms each 50c Coris. Heath-like blue foliage. Golden flowers. Rare.	1.40
Europe. Trailer each 40c	1.10
Grandiflorum. Prostrate growth and very large golden	
flowers with long stamens. Choice and handsome. each 50c Hookerianum. New. Evergreen shrub. Large deep yellow	1.40
flowers. Himalayas. Very fine each 75c	2.00
Olympicum. Narrow blue-grey foliage. Immense golden	
flowers. Long blooming season. Trailer each 50c	1.40
Orientale. New. Large yellow flowers. Very free bloomer. Fine and rare each 50c	1.40
Perforatum. A small bushy type with delicate foliage.	1.70
Covered with bright yellow flowers from May to July.	
Height 12 in each 35c	1.00
Polyphyllum. Dwarf, spreading habit. Large golden blossoms.	1.40
Asia Minor each 50c	1.40
Repens. Heath-like prostrate growth. Brilliant yellow flowers.	1 00

SPRING AND EARLY SUMMER	
HYPERICUM	3 for
Richeri. Small golden flowers and attractive blue grey foliage. Height 12 in. Trailer each 50c Tomentosum. Dense oval woolly foliage. Large yellow	1.40
flowers. Rare. Europe each 50c	1.40
IRIS—Arenaria. One of the smallest of all Iris. Large bright yellow flowers. Rare and choice. Mongolia each \$2.50 Pumila Lutea. Early blooming species. Very fine yellow blossoms each 30c	.85
LITHOSPERMUM—Hirtum. Flower stems thickly set with dark green leaves and large heads of orange flowers in spring and early summer each 50c	1.40
LOMATIUM—Foeniculaceum. New. Grey, finely divided fern- like prostrate foliage. Yellow blossoms each 35c	1.00
LOTUS	
Corniculatus. A beautiful little evergreen trailing plant covered in spring and early summer with bright golden flowers. Poor soil. Full sun or partial shade. Good for	
paving, walls, and dry places in the rock garden. each 35c Corniculatus Fl. Pl. Beautiful double flowering form of the	1.00
above each 50c	1.40
MERIOLIX—Serrulata. New and scarce. Rather small Prim-	
rose blossoms of brilliant yellow with dark green, glossy leaves and reddish stems. 8 or 9 in each 50c	1.40
MIMULUS	
Alpinus. Close growing pretty foliage and golden blossoms.	
Height 4 in. Chile. All spring and summer each 35c	1.00
Moschatus. Old fashioned sweet smelling Musk. Dwarf habit.	1 00
Golden flowers each 35c Variegatus. Queen's Prize. Dwarf. Very fine strain. Large	1.00
flowers each 50c	1.40
OXYTROPIS—Campestris. Handsome ferny foliage. Pale yel-	1.10
low flowers faintly tinged with purple. Height 8 in. North	4.40
America each 50c	1.40
POTENTILLA	
Alpestris. Dark green leaves. Clusters of gay yellow flowers. Height 8 in. Europe each 35c	1.00
Aurea. Tufts of glossy leaves. Bright golden flowers, orange	1.00
at the base. All summer. Height 2 in each 50c	1.40
Argyrophylla. Silvery foliage with bright golden blossoms.	
Ht. 12 in. Himalayas each 50c	1.40
Calabra. Beautiful silvery finely cut foliage with golden	1.00
blossoms. Italy each 35c Cinerea. Compact evergreen creeper with dainty yellow	1.00
flowers each 30c	.85
Euriocarpa. New. From the high regions of Tibet. Bright	.00
green foliage. Graceful stems carrying a single splendid	
golden flower about 1½ in. across each 35c	1.00

YELLOW AND ORANGE (CONTINUED)	14
SPRING AND EARLY SUMMER POTENTILLA	3 for
Fragiformis. Broad coarsely toothed velvety grey-green	
leaves. Large yellow flowers. Siberia. Ht. 8 in. Fine. each 35c	1.00
Gelida. Very effective foliage with clusters of bright golden flowers. Long season of bloom. Northern Asia each 35c	1.00
Glandulosa. New. Yellow flowers. Height 18 in. North	1.00
America each 40c	1.10
Glandulosa Var. Wrageliana. Brilliant golden flowers. each 50c	1.40
Hookeriana. New. Handsome foliage and brilliant golden	1 00
flowers. Height 8 in. North America each 35c Nevadensis. Very fine. Prostrate stems with attractive foliage	1.00
covered with small brilliant yellow flowers. 3 to 4 in.	
Spain each 50c	1.40
Thomasiniana. Mat forming species with grey-green leaves.	
Golden flowers. Height 3 in. Dalmatia each 50c	1.40
Villosa. New. Attractive silky foliage of tufted form. Fine yellow flowers. Sun. Height 12 in. Siberia each 40c	1.10
Warrensii. Free flowering variety with large bright yellow	1.10
flowers each 40c	1.10
PRIMULA	
Bulleyana. A beautiful species from Yunnan bearing whorls	
of rich orange and buff flowers. China each 40c	1.10
Chungensis. Orange flowers with yellow center. Fragrant,	
Very fine. China each 50c	1.40
Cockburniana. A lovely species from western China with umbels of brilliant orange-scarlet flowers. Unique and beau-	
tiful. China each 75c	2.00
Columnae. Handsome pale yellow cowslip from Southern	
Alps each 50c	1.40
Duplex (Hose-in-Hose) A semi double form with yellow	1.40
flowers. Quaint and charming each 50c Elatior. The true or Bardfield Oxlip. Finest strain of Bunch	1.40
Primrose. Large flowers of wonderful shades of yellow.	
Europe each 30c	.85
Florindae. New. Chinese species. Large clusters of Primrose	
yellow flowers. Tibet each 35c	1.00
Microdonta Alpicola. Pale Primrose yellow flowers. Fragrant. Height 1½ ft. China each 35c	1.00
	2.00
RANUNCULUS Comminger To find house above fallows for more than the finding of th	
Gramineus. Tufted lanceolate foliage from which rise flowering stems producing fine yellow flowers. Rare each 50c	1.40
Montanus. Large golden flowers. May and June. Rare and	
fine. Sun each 35c	1.00
Pumilio. Creeper. Beautiful variegated foliage and golden	
blossoms. A most valuable plant for covering banks in sun	. 1.00
or shade each 35c Repens. Creeping plant with fine foliage and bright	1.00
yellow flowers. Good ground cover. Europe and North	
America each 25c	.65

YELLOW AND ORANGE (CONTINUED)

15

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER	16
AOIIII ECIA Connedencia Elementa with wellow sepale and red	3 for
AQUILEGIA—Canadensis. Flowers with yellow sepals and red spurs. May to July. North America each 25c	.65
ARABIS—Sun or partial shade.	
Albida rosea. Tufted foliage with pretty rosy blossoms in loose racemes. Caucasus each 25c Alpina Rosea. Dwarf species. Abundance of rose flowers. Very	.65
lovely each 35c	1.00
ARMERIA	
Caespitosa. Pretty dwarf. Grassy tufts with almost stemless heads of pale pink flowers. Mountains of Spain and Portugal. Choice	2.00
Laucheana. Tufts of grassy leaves. Large bright pink flower heads on 4 in. stems. Blooms from spring until frost each 25c	.65
Maritima. Compact tufts of grassy foliage. Pink flowers on 6	.00
to 10 in. stems each 25c	.65
AZALEA	
Amoena. Glossy green foliage covered with beautiful cherry colored blossoms during May. Quite dwarf in habit. 12-15 in. diam each \$2.50 15-18 in. diam	
BRUCKENTHALIA—Spiculifolia. Evergreen of Heath-like	
appearance. Clear rose bell-shaped flowers on short terminal racemes	2.00
CALLUNA—Vulgaris. Dwarf heather with pale pink flowers. each 50c and \$1.00	
CRUCIANELLA—Stylosa. Prostrate foliage with 9 in. stems. Heads of rose flowers. Persia each 25c	.65
DAPHNE—Cneorum. Low growing evergreen shrub. Fragrant	
rosy flowers. Blooms in spring and again in fall. Austria each \$1.25 and \$2.50	
DELPHINIUM-Nudicaule. A most delightful plant with	
scarlet flowers each 35c	1.00
DIANTHUS—Requires full sun in sandy loam.	
Alpinus. Close shiny green mats with large rosy flowers on 3 in. stems. True form. Switzerland each 35c	1.00
Alpinus Carmineus. Close growing bronzy green foliage with large glowing deep rose flowers. Rare and beauti-	2.00
ful each 60c	1.65
Arvernensis. Low mats of silvery leaves. Numerous sweet scented rose pink flowers. France. Height 2 to 3 in. each 30c	.85
Campestris. Masses of bright green foliage; pink blos-	1.40
carthusianorum. New. Clustered heads with starry flowers varying from pink to crimson Denmark and Urals each 50c	1.40

SPRING AND EARLY SUMMER	
DIANTHUS	3 for
Cruentus. Cluster-head of brilliant red flowers. Greece. True	
form each 30c	.85
Deltoides Bowles Variety. A fine form with bronzy foliage	
and crimson flowers. Height 6 in each 30c	.85
Deltoides Brilliant. Prostrate foliage with masses of crimson	
flowers. North America each 25c	.65
Deltoides Utrecht. An improved Deltoides type each 30c	.85
Frigidus. Dwarf variety. Large rose colored flowers.	
Hungary each 35c	1.00



Epigaea Repens

Graniticus. Prostrate grey mats. Small starry pink flowers on	
6 in. stems. Pyrenees each 30c	.85
Japonica Grandiflora. Rare and very fine hybrid with exceed-	
ingly large fringy flowers each 50c	1.40
Montanus. Bright red flowers and grey green foliage. ea. 35c	1.00
Richardi. A trailer covered with small rosy pink blooms.	
Rare each 40c	1.10
Roysii. Spiny foliage making small cushions with pink	
blooms. Rare and fine. Partial shade each 50c	1.40
Spiculifolius. Loose graceful habit. Pale pink flowers.	
Russia and Roumania. Rare. Continuous bloom. each 50c	1.40
Sylvestris. New. Dense grassy tufts from which rise arching	
stems with large pink flowers. Eastern Europe. each 40c	1.10
Waldsteinii. Fragrant rose flowers about 1 in. across. Pyrenees	
and Alps each 50c	1.40
•	

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER	18
EPIGAEA—Repens (Trailing Arbutus) Prostrate trailing ever-	3 for
green. Clusters of sweetly-scented pale rose flowers. Acid, sandy soil each 35c	1.00
ERICA—Partial shade and acid, peaty soil. Compacta Nana. Dwarf and compact. Pink flowers. Height 9 in	
glossy leaves and a profussion of bright waxy pink flowers. Azores. Very choice each 40c	1.10
GAURA—Coccinea. Small leafy stems 8 in. high. Racemes of pink flowers each 35c	1.00
GERANIUM—Sun and sandy soil.	1.00
Argenteum. Small silvery grey foliage bedecked with large soft pink blossoms. The gem of the family. True each 50c Lancastriense. Choice and rare. Soft pink blossoms covering	1.40
trailing foliage. True form each 75c Macrorrhizum. Low bushy habit. Very fragrant rosy flowers.	2.00
Height 9 in. Europe. Scarce each 40c Sanguineum. Attractive mat forming foliage with bright rosy	1.10
flowers each 40c Sanguineum Lancastriense. Prostrate trailing variety. Rosypink flowers veined with purple. 2 to 3 in. Spring to winter.	1.10
True form each 60c GYPOSOPHILA—Full sun.	1.65
*Fratensis. Clear rose-pink flowers. Rare and choice gem.	
Supply limited each 75c Repens Rosea. A prostrate trailing plant covered with pale	2.00
pink flowers in late spring and summer each 25c HELIANTHEMUM—Full sun and light loam.	.65
Fireball. Bright scarlet flowers. Double each 35c and 50c Mutabile. Rose flowers changing to Lilac or white. Mediterranean region each 35c and 50c Praecox. Grey-green foliage with beautiful large pale pink flowers; Golden centers. Europe each 35c and 50c Speciosum. Large soft pink blossoms, 1¼ in. across; golden centers. Rare and fine each 50c and 75c Wendell Rose. A very fine variety with large true pink blossoms each 50c and 75c HEUCHERA—Partial shade. Leaf soil.	
Brizoides. Dwarf habit. Pale rose flowers each 30c	.85
Girandole Compacta. New. A small close-growing form with beautiful foliage and dainty pink bells each 40c	1.10

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER

	3 for
HEUCHERA	
Girandole Robusta. New. A larger form with flowers of	
deeper color each 40c	1.10
Micrantha. Panicles of small pink-white flowers. Height	
1½ ft each 40c	1.10
Pluie de Feu. Very large scarlet flowers. Free flowering. 18	
in each 50c	1.40
Rosamonde. Large rosy bells on tall branching stems. each 30c	.85
Sanguinea. Coral pink flowers on 18 in. stems each 30c	.85
Sanguinea Maxima. Improved form of Sanguinea. Sturdy	
growth and large brilliant red flowers each 40c	1.10
Sanguinea Var. Shirley. New. Bright red blossoms. Very free	
flowering. A splendid hybrid. Long season of bloom each 35c	1.00



Helianthemum Praecox

IRIS—Pumila Atroviolacea. Pretty early blooming species with lovely maroon-red flowers each 30c	.85
KALMIA	
Polifolia. Dwarf evergreen shrub with heads of dainty pink	
flowers. 12 to 16 in. North America each \$1.50	
Polifolia Microphylla (Alpine Laurel). Beautiful diminutive	
evergreen with bright pink flowers. Acid soil each \$1.50	

PINK, ROSE AND RED (CONTINUED) 20 SPRING AND EARLY SUMMER 3 for **LEWISIA**—Our plants of Lewisias are very fine specimens. Lewisias should have good drainage and partial shade. Sandy, leaf soil, good loam. Natives of North America. Columbiana. Rosettes of spiny foliage. Sprays of pale pink and white flowers. each 35c 1.00 Columbiana Rosea. Rosy-lavender flowers. Long blooming period. each 35c 1.00 Finchii. Large fleshy rosettes. Beautiful soft pink flowers with deep pink stripe down the center of each petal. Very fine. each 75c 2.00 Heckneri. Ovate dark green leaves delicately margined with stiff hairs. Salmon rose flowers. each 75c 2.00



Lewisia Howellii

Howellii. Rosettes of fleshy crinkly leaves and charming buff colored flowers. Petals striped with rose color. One of the best each 75c	2.00
Leeana (Evergreen Lewisia). Slender pine-like leaves. Clusters of small deep rose flowers each 50c	
Rediviva. Long needle leaves. Large waxy pink flowers. Deciduous species each 40c	1.10
Tweedyi. The largest flowered Lewisia. Waxy apricot flowers, 2 to 3 in. across. Very lovely each 75c	2.00

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER

	3 for
LYCHNIS	
Flos-Cuculi. Narrow lanceolate leaves; loose panicles of pink	
or red flowers. North America each 40c	1.10
Lagascae. Beautiful dwarf Alpine with bright rose flowers;	
white center each 30c	.85
Viscaria Splendens Fl. Pl. Large heads of intense crimson	
flowers. Height 1½ ft. May and June. Northern Asia. each 35c	1.00
ONONIS-Rotundifolia. A sub-alpine of great merit. Large	
rose colored flowers. Height 12 in. June and July. Rare.	
North America each 75c	2.00



Kalmia Polifolia

0
0
5

PINK, ROSE AND RED (CONTINUED)	22
SPRING AND EARLY SUMMER	3 for
PHLOX Cowardi. Rare type with lovely crimson blooms most of the	
summer each 50c	1.40
Kelseyi. New. Beautiful spreading mat. Narrow green foliage	
margined with white. Lovely bright rose-lilac flowers. ea. 75c	2.00
Stolonifera Reptans. A creeping woodland plant with hairy	
stems and oval leaves, crowned with dark rosy blossoms.	
Half shade. Leaf soil each 40c	1.10
Subulata Apple Blossom. Fine pale pink blossoms. each 40c	1.10
Subulata Atropurpurea. Compact dark green foliage. Deep	
wine colored flowers. Choice each 35c	1.00
Subulata Vivid. Salmon-rose flowers. Very fine each 30c	.85
POTENTILLA—Nepalensis. Silvery foliage and branching	
stems. Brilliant cherry colored flowers. Himalayas. A beau-	
tiful variety each 35c	1.00



Primula Frondosa

PRIMULA	
Acaulis Rosea. A rare and beautiful type with large rose	
flowers. Long season of bloom each 40c	1.10
Clusiana. A beautiful species from Austria with large umbels	
of rosy-lilac flowers dotted with a white eye. Lime and	
sun each 75c	2.00
Clusiana. A beautiful species from Austria with large umbels of rosy-lilac flowers dotted with a white eye. Lime and	

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER

3 for
.65
1.65
.85
1.00
2.00
1.40
.85



Rhododendron Racemosum

Officinalis. Very pretty species. Flowers range from pink to	
mahogany each 30c	.85
Pulverulenta. Gorgeous bog Primula. Rich crimson flowers.	
Height 1½ ft each 35c	1.00
Saxatilis. New. Umbels of rose-lilac flowers, 3/4 in. across.	
Height 10 in. Northern Asia each \$1.00	2.75
Secundiflora. Lovely crimson bells on 12 in. stems.	
China each 50c	1.40
Sieboldii. Scalloped oval leaves. Umbels of pink, white or red	
flowers. Spring. Supply limited each \$1.00	
Wulfeniana. Rare. Dark glossy green leaves. 2 in. stems bear-	
ing an umbel of large rosy lavender flowers. Choice dwarf	
species. Eastern Alps each \$1.00	2.75


PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER

3 for

RHODODENDRON	3 101
Ferrugineum. Fine dwarf species with beautiful large pink blossoms. Spring each \$2.00	
Racemosum. Racemes of beautiful pale pink flowers. Dwarf species from China. April and May each \$2.50	
Other fine types suitable for the rock garden are: Indicum Beni Kirisima each \$3.50	
Indicum Satsuki each \$3.50	
Indicum Macrantha each \$3.50	
Indicum Macrantha Orange each \$3.50	
Sp. Kocho-No-Kawa each \$3.50	
Sp. Illuminata each \$3.50	
Sp. Mrs. Carmichael each \$3.50	
Sp. Osakazuki each \$3.50	
Sp. Wareigishi each \$3.50	
Sp. Yazakura, each \$3.50	
SAPONARIA—Ocymoides. Trailer with masses of bright pink flowers. Swiss mountains. May and June each 25c	.65
SILENE	
Californica. Large velvety scarlet flowers. Requires deep light	
soil, well-drained and a sheltered sunny place each 40c	1.10
Hookeri. Soft blue-grey foliage and very beautiful large coral pink flowers. 6 in. June. Choice. North America each 50c	1.40
TELLIMA—Grandiflora. Rich colored foliage intensified by the winter. Flowers pink or deep rose. North America. Fine each 50c	1.40
THLASPI — Limosellaefolium. Rare. High Alpine plant.	
Fragrant rosy-lilac flowers. Spring and summer. each 30c	.85
VERONICA None A 11 of 11	
Pectinata Rosea. New. A small trailer with attractive grey green foliage and bright pink blossoms. Spring. Very	
lovely each 40c	1.10
Repens Rosea. Leaves feathered in broad segments. Pink	1 10
flowers each 50c	1.40
VIOLA	
Bosniaca Crimson King. New. Large mats covered with large crimson flowers. Very free flowering and fine each 50c	1.40
Odorata Rosina. The new pink hardy Violet. Very fragrant. Charming new color combination of pink and old rose.	
Partial shade. Well drained soil each 40c	1.10
Sylvestris Rosea. Dwarf species with fine rosy pink flowers. Height 5 in each 35c	1.00

BLUE, LAVENDER AND PURPLE SPRING AND EARLY SUMMER

SPRING AND EARLY SOMMER	3 for
AJUGA—Reptans Variegata. Mats of handsome variegated foli-	3 101
age and short spikes of light blue flowers making a fine	
contrast to the fine pale green and white foliage. each 50c	1.40
ANCHUSA-Myosotidiflora. Ovate leaves, large and heart	
shaped at the base. Blue forget-me-not-like flowers.	
Caucasus each 30c	.85




Androsace Primuloides

ANDROSACE—Good drainage, gritty loam and sunny situation.	
Primuloides. A compact form from the Himalayas. Rosettes of grey-green foliage and soft lavender blossoms. True	
	1.40
Sempervivoides. Small rosettes of oval leaves. Rosy-lavender flowers. Himalayas each 75c	2.00
ANEMONE	
Blanda. Brilliant soft blue flowers with small golden center. Greece each 50c	1.40
Pulsatilla (Pasque Flower). Deep rich purple flowers. Very desirable. 9 in each 30c	.85
AQUILEGIA	
Caerulea. Violet-blue and white flowers. Long spurs. Colorado. Shade and leafmold each 35c	1.00

BLUE, LAVENDER AND PURPLE (CONTINUED)	26
AQUILEGIA SPRING AND EARLY SUMMER	3 for
Glandulosa. Beautiful large blue and white flowers. Spring	
and early summer. Siberia. Ht. 1 ft each 75c	2.00
Jucunda. (Siberian Columbine). Broad sepals of powder blue with clear white petals each 50c	1.40
ASTER—Sandy loam in full sun.	1.10
Alpinus. An abundance of violet blue flowers with center of	
bright gold. North America each 25c	.65
Alpinus Dark Beauty. Form with dark blue flowers. each 25c Alpinus Nancy Perry. A fine variety of dwarf Aster with	.65
lavender blue flowers and golden center. Ht. 8 in. each 25c	.65
ATRAGENE — Alpina (Clematis Alpina). A low rambling	
species seen at its best trailing among rocks in the rock	
garden. Drooping flowers of light purple in early summer. Alpine woodlands	2.00
BELLIS—Rotundifolia Caerulescens. Tiny rosettes of green	2.00
leaves and charming blue Daisy-like flowers. 3 in. Morocco.	
A gem each 40c	1.10
DIANTHUS—Superbus. One of the most beautiful of the	
family with very large lacy blossoms of pale lavender, having a strong scent of orange blossoms. Europe. Limy	
soil each 40c	1.10
DRABA—Pyrenaica. (The Rock Beauty). A native of the High	
Alps. Tiny tufts of foliage covered with fragrant soft lilac	
flowers. Rare and fine each \$1.00	2.75
ECHINACEA — Angustifolia (Brauneria angustifolia). Low foliage with short silvery hairs. Heads of light purple	
flowers. North America each 35c	1.00
EDRAIANTHUS—Pumiliorum. Tufts of narrow leaves. Large	
bell flowers of clear lavender. Height 2 in. Very	
fine each 50c	1.40
EPIMEDIUM—Violaceum. Orchid-like blossoms of lavender. Shade each 60c	1.65
ERICA — Vulgaris Aurea. Golden foliage with lilac	1.03
flowers each 50c and \$1.00	
ERINUS—Alpinus. Small compact plant with fine foliage	
covered with rosy lavender flowers. Spring each 30c	.85
GENTIANA—Acaulis. Large blue trumpets. 4 in. Sun. Alps	0.00
and Pyrenees each 75c GERANIUM—Ibericum. Fine blue flowers. Its broad lobed	2.00
leaves take on brilliant coloring in autumn each 50c	1.40
HABERLEA	
Ferdinand-Coburgi. Rosettes of green leathery leaves. Gloxinia-like lavender flowers, speckled inside with gold.	
Balkans. Rare and choice each \$1.00	2.75
Rhodopensis. New. Handsome dark green rosettes. Pale lilac	
flowers speckled with gold. 3 to 4 in. Closely related to Ramondia Balkans	275
Nathonina Darkans Pach Milki	(

SPRING AND EARLY SOMMER	3 for
IRIS	•
Cristata. Large lilac flowers. 6 in. North America. each 30c Gracilipes. Dainty Japanese species. Lilac blue flowers with	.85
golden crest. Rare each \$1.50 Pumila Cyanea. Pretty early-blooming species with deep	4.00
blue flowers each 30c Sibirica (Siberian Iris). Delightful purple blue flowers in May	.85
and June. 2 ft each 35c Verna. Early blooming dwarf variety. Lovely violet blue flowers. North America each 40c	1.00
	1.70
flowers on 8 in. stems. Early spring each 25c	.65
MAZUS—Reptans. Forms a dense carpet of green leaves studded with small orchid-like flowers. Height 1 in. each 25c	.65
MENTHA—Requieni. Forms a dense green carpet with tiny lavender flowers. Mint-scented leaves. Corsica each 30c	.85
MERTENSIA	
Oblongifolia. Narrow blue-grey foliage. Lovely blue flowers.	1 40
For shady, moist situation. New each 50c	1.40
Lanceolata. Narrow leaves with down on the upper surface. Lovely clear blue flowers each 60c	1.65
Virginica. Grey foliage. Rich sky-blue flowers on 2 ft. stems.	1.05
North America each 35c	1.00
OMPHALODES	1.00
Luciliae. Glaucous foliage. Soft blue blossoms. 6 in. tall. Very	
choice each 60c	1.65
Verna. (Creeping Forget-Me-Not). Large heart-shaped leaves.	
Masses of deep azure Forget-me-not like flowers. each 50c	1.40
OXYTROPIS — Lambertii. Foliage low, grey and pinnate. Showy erect spikes of blossoms in many shades from violet	
to light blue, and rosy crimson. June each 50c	1.40
PENTSTEMON	
Heterophyllus. Dwarf species with narrow leaves and bright	
blue flowers. North America each 35c	1.00
Humilis. Deep blue flowers, shrubby growth. North	
America each 50c	1.40
Unilateralis. New. A fine member of this large family having	
trailing blue flowers in early summer. Height 12 in. North America	1.65
PHLOX	1.03
Brittonii Var. Atropurpurea. A hybrid of P. Brittonii with	
lovely lavender flowers. Supply limited each \$1.00	
Diffusa. New. A fast growing species with spreading tendency	
covered in spring and early summer with fine flowers of	
_ delicate lavender or pink. North America each 50c	1.40
Divaricata. Clusters of pale violet-blue flowers. North	
America each 30c	.85
Divaricata Laphamii. Large flowers of rich blue violet. each 35c	1.00

BLUE, LAVENDER AND PURPLE (CONTINUED)	28
SPRING AND EARLY SUMMER	3 for
PHLOX	
Douglasii. Large blossoms of lavender pink completely cover	
the plants. Creeping stems form large mats. Delightfully	
fragrant. Blooms all summer each 50c	1.40
Subulata G. F. Wilson. Pale lavender blossoms with blue	
eye each 25c	.65
PHYTEUMA—Full sun. Sand and leaf soil. These plants are	
rare and interesting.	
Hemisphaericum. Grass like foliage. Heads of soft blue	
flowers. High Alps. Height 6 in. Choice each 50c	1.40
Orbiculare. A pretty dwarf Alpine with balls of deep blue	
flowers. Europe each 50c	1.40
Scheuchzeri. Slender stems carrying heads of blue	
flowers each 35c	1.00
Spicata Nigra. New. Rare form. Leaves marked with dark	
chevrons. Spikes of lovely blue flowers. Spring and summer.	
Very fine each 50c	1.40
Wagneri. New and rare. Heads of fine dark lilac flowers above	
attractive foliage. Spring and summer each 50c	1.40



Double Flowering Primrose

POLEMONIUM

Confertum. New and very rare. A beautiful North American rock plant bearing heads of violet colored flowers which are very fragrant. Light gritty soil in sun. Garden lovers in England are very enthusiastic over the beauty of this plant. Supply limited. each 75c

2.00

SPRING AND EARLY SUMMER

POLEMONIUM	3 for
Humile. A new charming dwarf with ferny foliage and pale	
blue or lavender flowers. Height 4 in. Arctic regions. each 60c	1.65
Reptans. Ferny foliage. Lovely blue flowers each 30c	.85



Ramondia Pyrenaica

PRIMULA	
Acaulis Atropurpurea. Fl. Pl. Double flowering form with	
lavender flowers. Supply limited. Fine each \$1.00	2.75
Acaulis Heavenly Blue. A rare and beautiful type with large	
blue flowers each 60c	1.65
Acaulis Miss Massie. (Selected blue). Large blue flowers.	
	1.40
Capitata. Leaves covered with white farina. Rich violet	
flowers. Height 9 in. Very fine each 35c	1.00
Chrysopa. Lilac blue heads on slender stems. Very distinctive.	
China each 50c	1.40
Conspersa. Lilac flowers with orange eye and yellow tube.	
Height 10 in. China each 50c	1.40

BLUE, LAVENDER AND PURPLE (CONTINUED)	30
SPRING AND EARLY SUMMER	3 for
PRIMULA Glaucescens. The leaves are stiff, leathery and glossy. Heads	
of lovely lilac purple flowers. Alps each \$1.00	2.75
Glutinosa. Rare. Tufts of narrow dark green leaves. Beautiful	
violet flowers in clusters. Height 4 in. Acid soil. Supply	0.75
Juliae. Miniature species with lovely rosy lavender flowers.	2.75
Early flowering each 50c	1.40
Juliae Hybrids. A hybrid of the above with lovely glowing	
purple flowers. Exceptionally fine each \$1.00	2.75
Nutans. Supply limited. Narrow, hairy leaves and densely powdered stamens carrying an umbel of large lavender blue	
flowers. Very beautiful each \$1.00	2.75
Sino Purpurascens. Deep purple flowers in loose	0.00
trusses each 75c	2.00
PULMONARIA — Saccharata. Handsome silver and green marbled foliage. Rich blue flowers. 12 in. high each 35c	1.00
RAMONDIA—Pyrenaica. Deep green crinkly leaved rosettes.	1,00
Large lilac blue flowers with golden centers. Very choice.	
Shade each \$1.25	
SISYRINCHIUM	
Gramineum. Grassy tufts with tiny sword-like leaves. Delicate blue flowers	1.10
Tanacetifolium. A fine type. Grassy foliage and bright blue	1.10
flowers each 40c	1.10
Varians. Light blue flowers. Grassy foliage. North America. Height 1 ft each 35c	1.00
SOLDANELLA—Alpina. Dwarf alpine. Lovely violet bells	1.00
on 3 in. stems. Blooms in very early spring each \$1.00	2.75
SYNTHYRIS	
Rotundifolia. Spikes of pale blue flowers each 50c	1.40
Sweetseri. Beautiful foliage and rich violet colored flowers	2 45
on 4 in. stems. Very fine. North America each 90c	2.45
THLASPI—Violascens. Flowers of pale lilac. Mountains of Asia Minor. Height 4 in. Rare and fine each 40c	1.10
VERONICA	
Filiformis. Trailing evergreen. Flowers of blue with white lip	
which almost hide the foliage in early spring. Asia	
Minor each 30c Gentianoides. Large tufts of foliage from which rise large	.85
pale blue flowers. A very fine form from Europe. each 30c	.85
Pectinata. Mats of velvety grey leaves covered with lovely	
azure blue flowers. Spring each 30c	.85
Prostrata. Lovely trailing species. Brilliant blue flowers. Europe and Asia	.85
Quateriana. Fine form with beautiful blue flowers. each 35c	1.00
Repens. Trailing species. Large pale blue flowers.	
Corsica each 30c	.85


SPRING AND EARLY SUMMER	3 for
VERONICA	2 101
Rupestris Heavenly Blue. A pretty trailing and mat forming plant with spires of blue flowers each 30c	.85
Rupestris Nana. A smaller form of the above with masses of deep blue flowers each 35c	1.00
Saxatilis. Spreading habit. Large blue flowers with ring of red. Europe and Greenland each 35c	1.00
Teucrium Trehanii. Dwarf bushy plant with golden foliage and dark blue flowers. Height 8 in. Very fine each 50c	1.40
VINCA - Minor. (Myrtle). Trailing evergreen. Bright blue	
flowers produced from April until autumn. Fine ground cover in sun or shade each 15c	.40
VIOLA	٠٠٠
Bosniaca. Brilliant rosy lilac flowers. One of the finest. Free	
flowering. Spring and Summer. A real gem each 35c	1.00
Florariensis. Large lilac flowers with lower petal marked in	.85
white. Long blooming period each 30c Heterophylla. New. Distinct and beautiful species. Grey-green	.03
silky foliage. Lovely soft violet blossoms. Alps of	
Lombardy each 50c	1.40
Hybrida Haslemere. Produces an abundance of pretty soft lilac flowers. Very neat habit. Long period of bloom. each 30c	.85
Maggie Mott. The well known English hybrid propagated	.03
from imported stock. Large flowers of lavender. True	
form each 50c	1.40
Riviniana. Fine foliage and pale blue flowers with short yellow spur. Spring and summer. Height 6 in. Europe. each 30c	.85
Royal Gem. Gorgeous royal purple flowers of large	.00
size each 40c	1.10
Sagittata. (Arrowleaf Violet). Lovely violet purple blossoms. North America	.85
W. H. Woodgate. Large dark violet flowers each 35c	1.00
WULFENIA—Carinthiaca. Tufts of bright green leaves. Dense	
racemes of bright blue flowers. Height 8 in. Mountains of	
Carinthiaca each 50c	1.40
WHITE	
Summer and Early Autumn (July to last of September)	
ACANTHOPYLLUM - Spinosum. Mats of spiny foliage	
covered with white sweet-scented flowers in mid-summer. Very choice	2.00
AJUGA—Reptans. Prostrate plant forming masses of bright	
green leaves and attractive white flowers each 25c	65
ANAPHALIS — Trifolinervis. A dwarf "Everlasting" with	
silvery foliage. White tubular flowers. Interesting for the	.85

SUMMER AND EARLY AUTUMN	3 for
LYSIMACHIA—Clethroides. Long spikes of white flowers.	
China and Japan each 35c MENZIESIA—Polifolia Alba. Heath-like shrub. Bell-shaped	1.00
white flowers. Very attractive each 50c and \$1.00	
MICROMERIA—Rupestris. Herb. Fragrant foliage: Heath-like	
effect when in bloom. Abundance of white flowers with	0.5
lavender spots. All summer. Europe each 30c	.85
NIEREMBERGIA—Rivularis. Carpets of dark green leaves. Profusion of large white flowers on 1 in. stems. All	
summer. Full sun. Sandy soil each 35c	1.00
OENOTHERA—Caespitosa. Large fragrant flowers of pure	1 40
white turning a blush pink, 4 in. Very fine each 50c	1.40
ONOSMA—Albo-Roseum. Silvery grey leaves. Large white flowers that fade to pink. Rare. Full sun. Asia Minor. each 75c	2.00
OXALIS—Floribunda Alba. (Wood Sorrel). Attractive white	
flowered variety. Blooms continuously each 50c	1.40
PARONYCHIA — Serpyllifolia. New. Good ground cover.	
Creeping, rooting perennial. Flowers in dense silvery white heads. Europe each 35c	1.00
PENTSTEMON—Albidus. Glabrous foliage and lovely white	
blossoms during July and August. Height 8 in. Sun and	1.40
sandy leaf soil. North America each 50c PLATYCODON—Mariesii Album. Very fine dwarf variety.	1.40
Large white flowers. Full sun. Mid-summer. Asia. each 30c	.85
PRUNELLA-Laciniata Alba. Spikes of white flowers. July to	
September. Europe. Rich sandy soil each 30c	.85
RODGERSIA — Sambucifolia. Introduced from China by Wilson. Large fern-like foliage with tall panicles of fine	
white flowers. For background or border. Sun. Rare. ea. 75c	2.00
ROSA—Foliolosa. A charming dwarf rose with single white	
blossoms produced through summer and autumn in great profusion. North America each \$1.00	2.75
SHORTIA—Galacifolia. (Oconee Bells). Lovely oval shaped	2.75
foliage turning crimson in autumn. Large white flowers, 1	
in. across. North America each 35c	1.00
SILENE Maritima Fl. Pl. Blue-grey leaves. Large crinkled white blos-	
soms. All summer each 30c	.85
Monachorum. New. Narrow glossy green leaves. Dainty white	1.40
flowers on 2 in. stems. All summer each 50c Saxifraga. Mossy growth. White flowers in great profu-	1.40
sion each 30c	.85
STACHYS — Corsica. Dwarf carpeter. Pale pink and white flowers. All summer. Dry sunny place. Sandy soil. each 60c	1.65
TRADESCANTIA—Virginica Alba. Slightly dwarfer type than	1.03
T. Virginica with lovely white flowers. Blooms all summer.	
North America each 40c	1.10

YELLOW AND ORANGE (CONTINUED)	34
SUMMER AND EARLY AUTUMN	3 for
ALLIUM—Flavum. A new and charming variety with bright golden flowers. Rare. Italy each 50c	1.40
ARNICA—Montana. Rosettes of broad, velvety leaves and deep golden Aster-like flowers. Very fragrant. Alps. Leaf soil and sand. Sun each 60c ARTEMISIA—Frigida. Shrubby plant with graceful feathery	1.65
silver foliage. Yellow flower heads. North America. each 25c	.65
BELLIS—Integrifolia. (Western Daisy). Small narrow leaves. Slender flower stems, 4 in. high, flowers with golden centers and white rays. A gem each 35c	1.00
CHEIRANTHUS—Allioni (Siberian Wallflower). Rich orange flowers. All summer each 30c	.85
CHRYSOPSIS—Villosus. New. Bushy plant with small greygreen leaves. Height 8 in. Yellow aster-like flowers. A valuable addition to the rock garden for late bloom. each 60c	1.65
CORONILLA—Iberica. A delightful trailer with neat bright green foliage. Golden blossoms in July and September. Rich leaf soil. Sun or shade each 50c	1.40
ERIOGONUM—Crassifolium. Low mats of velvety leaves and soft yellow blossoms. Very pretty. Sun. Lime soil. each 50c ERIOPHYLLUM—Caespitosum. A mass of beautiful silvery	1.40
grey foliage covered in summer with brilliant golden flowers. Should have full sun; poor sandy soil each 60c	1.65
GALPINSIA—Lavendulaefolia. Woody branching stems 10 in. high. Very large showy yellow flowers each 35c	1.00
GUTIERREZIA—Sarothrae. Umbels of tiny golden blossoms. 10 in. North America each 35c	1.00
HIERACIUM	
Alpinum. Low tufts of woolly leaves. Large golden composite flowers	.85
Bombycinum. Neat mountain species. Golden flowers 4 to 6 in. high. Everlasting each 30c	.85
HYPERICUM	
Ascyron. 3 in. flowers of pale gold with prominent stamens. Height 2 ft. Northern Europe each 50c	1.40
Linarifolium. New. Narrow leaves. Slender wiry stalks with bright golden flowers. England each 50c	1.40
Moserianum. Shrublet with bronzy green foliage. Large golden blossoms with long stamens flecked with red. All summer each 75c	2.00
Patulum Henryi. Fine golden-yellow flowers. Shrubby type.	2.00
Introduced from China each 75c Reptans. Trailing foliage. Bright yellow flowers. Himalayas each 40c	1.10

YELLOW AND ORANGE (CONTINUED) SUMMER AND EARLY AUTUMN

SOMMER AND EARLY ACTOMIN	3 for
LINARIA — Dalmatica. Ornamental glaucous blue foliage. Bright yellow flowers. An unusual and distinct plant. ea. 50c	1.40
LINUM—Flavum. Large golden flowers on stems 8 to 10 in. Beautiful hardy perennial for the rock garden. Europe. ea. 35c	1.00
LYSIMACHIA	
Ciliata. An attractive shrublet with bright yellow flowers. All summer	2.00 2.75
OENOTHERA—(Evening Primrose).	
Fruticosa Major. Glossy leaved plant with golden yellow flowers each 30c Fruticosa Youngii. Large shiny leaves. Showy yellow flowers.	.85
Profuse bloomer. About 18 in. tall each 30c	.85
Missouriensis. Fine trailer, Enormous soft yellow flowers.	.85



Santolina Incana

ONOSMA—Tauricum. Grey foliage. Clusters of soft yellow bells. Very fragrant. July to Sept each 75c	2.00
PARDANTHUS—Chinensis (Blackberry Lily). Orange flowers spotted with red. The caps split in autumn leaving a column of seeds resembling the blackberry. North America. each 50c	1.40

YELLOW AND ORANGE (CONTINUED) SUMMER AND EARLY AUTUMN	36
	3 for
Reptans. Creeping type with fine foliage and a great profusion of dainty yellow flowers. Summer and autumn. Very useful for walls	.85
and autumn. Rare each 60c SANTOLINA — Incana. Low spreading bushes with woolly	1.65
silvery grey leaves. Golden flowers. Fragrant herb. Sun each 30c	.85
SCUTELLARIA—Orientalis. Semi-prostrate grey-green foliage and yellow flowers each 35c	1.00
SENECIO—Incanus. Rare. White felted foliage and masses of deep golden flowers during July and August. High Alps	1.40
TANACETUM—Sp. Balkans. Masses of fern-like silvery leaves;	1.40
fluffy yellow flowers in summer. Fine and rare each 50c	1.40
TETRANEURIS Simplex. New. Neat clustered rosettes of lance-like leaves edged with silver and golden daisy blossoms on leafless	
stems 4 to 6 in, high in June and July, Fine each 35c Stenophylla. Narrow green basal leaves. Yellow Daisy-like	1.00
flowers each 35c	1.00
ULEX—Europaeus. Spiny shrub with fragrant yellow flowers. Europe each 50c	1.40
XANTHOXALIS—Stricta. (Yellow Wood-Sorrel). Low herbs with many leaves; yellow flowers each 25c	.65
PINK, ROSE AND RED	
Summer and Early Autumn	
ABELIA — Grandiflora. Lovely evergreen shrub. Pale pink	
flowers. All summer each \$1.50 AMPHICARPA MONOICA — A trailing vine for shady spots.	4.00
Particularly useful as a covering for bulbs. Rose blossoms	
ANDROSACE—Lanuginosa. Trailing silvery stems. Lovely	
soft rose flowers over a long period. Good drainage, gritty soil and sunny situation each 50c	1.40
ARMERIA - Cephalotes Rubra (Bee's Ruby). Giant Thrift.	1.40
Large rosy heads. 10 in. Rare and fine each 50c ASTILBE	1.40
Chinensis. A very effective dwarf plant with ornamental	
bright green foliage and spires of pink flowers. Rare. True form each 50c	1.40

A COURT DE	3 tor
ASTILBE	
Chinensis Pumila. Dwarf habit. Erect flowers spikes of lilac	2.00
rose. Height 6 in each 75c	2.00
BOLTONIA—Latisquama Nana. A beautiful dwarf form of the	
border type with a profusion of pink Daisy-like flowers in	
late summer and autumn each 25c	.65
CALLIRHOE - Involucrata. Trailing habit. Showy crimson	
flowers. All summer and autumn. Full sun each 25c	.65
CHEIRANTHUS—Vulcan Improved. Dwarf habit. Fine bushy	1 10
plant with large velvety crimson flowers each 40c	1.10
CONVOLVULUS — Nuttallianus (Evolvulus Nuttallianus).	
Several leafy stems 6 in. high with small pink flowers.	
Belongs to the Morning Glory family although it is non-	
twining and not weedy each 35c	1.00
CRACCA — Virginica A shrublet with pinnate leaves. Many	
flowers of creamy yellow. The wings are bright rose-	
	1.00
pink each 35c	1.00
DIANTHUS—Full sun in sandy loam.	
Beatrix. Lovely double pink flowers. Height 9 in. All	
summer each 50c	1.40
Monticola. Very large deeply fringed pink flowers. A beau-	
tiful type from Japan. New each 40c	1.10
Neglectus. True form. Neat little grassy tufts. Bright pink	
flowers with a buff reverse. 6 in. stems. One of the	
finest each 35c	1.00
Plumarius Highland Queen. Deep rose colored flowers in	
great profusion. Height 6 in. Fine each 50c	1.40
Seguieri. New. Leaves broadly linear. Fine pink flowers,	
faintly dotted with purple. June to Sept each 50c	1.40
	1.40
DICENTRA	
Eximea. Fern-like foliage. Graceful arching stems. Drooping	
rose or pink flowers. North America. Height 18 in. All	
summer each 30c	.85
Formosa. Similar to D. Eximea, but somewhat stronger	
growing. 12 in. tall covered with lovely pink flowers from	
spring until early frost. North America each 30c	.85
EPILOBIUM—Roseum. Attractive foliage and beautiful rosy	
flowers. July and August. Native of Great Britain. each 35c	1.00
ERICA — Vagans. Rose colored flowers. July to October.	1.00
each 50c and \$1.00	
ERIGERON—Sandy soil. Full sun.	
Alpinus. True form. Soft pink daisy-like flowers. Rare alpine.	
	.85
Very dwarf each 30c Mucronatus. Dainty green foliage and small pink and white	.03
daisy-like flowers. One of the most persistent bloomers in	1.00
our gardens during the summer and autumn each 35c	1.00
Multiradiatus Roseus. New. Large rosy flowers and downy	~-
foliage. 9 in. high. Himalayas each 30c	.85

PINK, ROSE AND RED (CONTINUED) SUMMER AND EARLY AUTUMN	38
	3 for
Chamaedryoides Roseum. A tiny alpine. Tufts of glossy crinkled leaves with pink flowers. All summer each 75c	2.00
Manescavi. Strong flower stalks bearing showy fuchsia colored blossoms. An abundance of bloom all summer and autumn. Pyrenees	2.00
Supracanum. Silvery foliage. Pink flowers. Very distinctive, and fine each 75c Trichomanefolium. Deeply cut ferny leaves. Rose colored flowers with the two upper petals marked in	2.00
lavender each 75c	2.00
FELICIA—Petiolata Rosea. Small pink Daisy-like flowers. Trailing plant. For wall or rock garden each35c FIICHSIA Cracilia A faccination description described about the standar.	1.00
FUCHSIA—Gracilis. A fascinating dwarf with upright slender branches of 10 or 12 in. bearing a long succession of bright ruby and violet colored blossoms. Full sun, and	2.00
sheltered spot. Needs winter protection each 75c GERANIUM—Cinereum. Silvery foliage. Pink flowers with	2.00
dark stripes. Alpine region each 75c GEUM—Full sun and rich loam.	2.00
Chiloense Atrosanguineum. Hairy toothed leaves and scarlet flowers, ½ in. across. Chile each 50c Fire Opal. Large wide-open flowers shading from scarlet to	1.40
crimson. 18 in. tall each 50c	1.40
GYPSOPHILA	
Acutifolia. Beautiful pale pink flowers. Height 18 in. each 25c Rokejeka. Tall and graceful with rather large rose colored flowers. All summer each 35c	.65 1.00
INCARVILLEA—Variabilis. Shrubby species with beautiful rose colored flowers. Very fine each 75c	2.00
LINARIA—Canon Went. New. A charming plant with grey- green foliage covered with soft pink flowers. All	
autumn each 50c	1.40
LYCHNIS Alpina. Neat tufts of narrow leaves. Pink flowers. Arctic and Alpine regions. 2 to 3 in each 25c	.65
Arkwrightii. Hybrid. Beautiful flame colored flowers on 6 in.	
stems each 35c MALVASTRUM—Coccineum. Low herb with branching stems	1.00
and lobed leaves. Salmon-pink flowers all summer. each 35c	1.00
OENOTHERA—(Evening Primrose). Mexicana. Small bright rose flowers. All summer. Height 6 in	65
Taraxacifolia. A fine dwarf species with procumbent stems. Beautiful flowers about 4 in. across open a glistening white and turn a soft pink the second day. Blooms continuously	
through summer and autumn each 50c	1.40

PINK, ROSE AND RED (CONTINUED) SUMMER AND EARLY AUTUMN

	3 for
ONOSMA - Emodi. Small bright rose flowers. All	3 101
summer each 75c	2.00
PAPAVER - Pilosum. Handsome blue-grey foliage. Large	
salmon colored flowers. Height 2 ft each 35c	1.00
PENTSTEMON	
Rupicola. Trailing dwarf form with mats of tiny grey-green	
leaves. Brilliant red flowers. North America each 60c	1.65
Torreyi. A graceful plant with long stems bearing spires of	
brilliant scarlet flowers. All summer. 2 ft. tall. For back-	
ground of rock garden. North America each 30c	.85



Rosa Roulettii

POLYGONUM Affine. Rare. Forms small clumps of light green leaves, topped by spikes of pale pink flowers. A very showy and effective plant with long season of bloom. Late summer and autumn. Full sun or partial shade. each 50c 1.40 Vaccinifolium. Trailing masses of glossy green foliage produce in autumn a profusion of lovely rose-pink flowers. Himalayas. 2' to 3 in. each 75c 2.00 POTENTILLA Fulgens. New. A lovely type with bright shiny foliage and fine reddish-amber blossoms. Long period of bloom. Himalayas. September. each 50c 1.40 Nitida. Supply limited. The gem of the race. Silvery foliage covered with charming pink blossoms during late summer and early autumn. Rare. Full sun. Poor soil. each 75c 2.00 Salmon Beauty. Brilliant coppery-salmon flowers. Very valuable for the rock garden. each 35c 1.00 RODGERSIA-Aesculifolia. Large ornamental foliage with tall plumes of rosy-white flowers. each 75c 2.00

PINK, ROSE AND RED (CONTINUED) SUMMER AND EARLY AUTUMN	40
ROSA—The following list of Roses are all dwarf and a great	3 for
addition to the rock garden. They bloom throughout the summer and autumn. Hardy. Nitida. Pretty low growing bush rarely exceeding 18 in.	
Handsome glossy foliage and bright rosy-red flowers. North America each \$1.25	3.25
Polyantha Nana. Dwarf. Charming pink semi-double blos-	2 25
soms each \$1.25 Prairie Rose. Erect stems 16 in. high. Large fragrant pink	3.25
flowers often dotted with red each \$1.00	2.75
Roulettii. Very dwarf. Pretty pink blossoms all summer. Keeps its leaves all winter. True form. Very rare.	
Small size each \$1.00	
Large size each \$1.50	
SIDALCEA—Hybrida. A handsome plant for the background. Ornamental foliage and panicles of small Mallow flowers	
produced in late summer in white, pink and lavender color-	
ings. Very showy. 12 to 15 in. tall each 50c SILENE	1.40
Maritima Rosea. Very useful rock plant with attractive pink	
blossoms. Summer each 50c	1.40
Schafta. Late flowering Alpine plant from the Caucasus. Leafy tufts. Showy rose-colored flowers. 6 in each 25c	.65
TALINUM—Calycinum. Thick tufts of fleshy leaves. Wiry	.00
branching flower stems bearing many large bright pink flowers. All summer each 40c	1 10
TEUCRIUM	1.10
· Chamaedrys. Tiny shrub with glossy dark green leaves and	
rosy lilac flowers. Southern Europe each 35c Chamaedrys Prostratum. More dwarf than the above. Pro-	1.00
strate stems and spikes of rosy lavender flowers. each 60c	1.65
THALICTRUM—Sp. We have been unable to find the true	
name for this beautiful plant which resembles T. Aquilegi- folium although it is daintier in habit and has a tendency to	
climb. Covered in late summer with long tubular rosy	
flowers. Plant in scmi-shade; leaf soil each 75c	2.00
TRADESCANTIA Bracteata. Very fine dwarf. Mauve and pink flowers. All	
summer. 6 in. high each 50c	1.40
Brevicaulis. Large rosy-colored flowers on 12 in. stems. A charming dwarf. All summer. Sun and sandy soil. each 50c	1.40
TUNICA	1.40
Saxifraga. Masses of thread-like branches and delicate leaves	
with a profusion of pink flowers. All summer. Europe. each 25c	.65
Saxifraga Fl. Pl. Tufted plant with light pink flowers. Double	.03
flowering form. Very fine each 50c	1.40
VERBENA—Alpina. New. A beautiful trailing plant with exquisite wine colored flowers flecked with white. All	
summer and autumn. Rare and fine each 75c	2.00

BLUE, LAVENDER AND PURPLE	
SUMMER AND EARLY AUTUMN	3 for
ACAENA — Sanguisorbae. Trailing plant with smooth silky leaves. Purple flowers each 50c	1.40
AGAPANTHUS—Mooreanus. A dwarf hardy form of the African Blue Lily. Handsome umbels of rich blue flowers. July	
and August each 60c AQUILEGIA—Pyrenaica. A beautiful variety with deep blue flowers about 2 in. across. Height 1 ft. June and July.	1.65
Pyrenees each 35c	1.00
ASTER—These require sandy loam in full sun. Andersonii. Grass-like basal leaves. Lavender flowers, borne	1 40
singly on slender stems. Very desirable. Ht. 6 in. each 50c Little Boy Blue. Beautiful blue flowers with golden center.	1.40
Neat compact habit of growth. Long blooming period. ea. 35c Patens. A bushy plant with small leaves and many violet	1.00
flowers in late summer and autumn. Height 8 in. each 35c Stracheyi. A fine dwarf type from the western Himalayas.	1.00
Large lavender blue flowers each 50c Subcaeruleus. Large lilac blue flowers. Dwarf type.	1.40
India each 30c Subcaeruleus Leichtlini. Lavender flowers in profusion. ea. 35c Trichiphalus. A very attractive dwarf form with large purple	1.00
flowers. Sikkim. New each 60c	1.65
BORAGO — Laxiflora. Trailer from Corsica. Beautiful pale azure flowers. Good wall plant. New and rare. A valuable addition to the rock garden each 60c	1.65
CAMPANULA Abietina. Bright green rosettes. Flower stems 8 to 10 in. with	
lovely blue flowers. Profuse bloomer for a long period.	1.00
Very fine each 35c Allioni. High alpine species. Rosettes of narrow grey leaves. Beautiful large violet-blue flowers. Western Alps. Supply	1.00
limited	1.65
blue flowers each 40c Caespitosa. Ovate, toothed leaves. Nodding blue flowers.	1.10
Europe. 6 in. high each 50c Carpatica. Long toothed leaves. Abundant open bell shaped	1.40
flowers of bright blue. Height 12 in. Europe each 30c Carpatica Ditton Blue. Large deep blue flowers. Very fine.	.85
Height 8 in each 40c Carpatica Var. Porcelain Blue. A fine hybrid with large pale	1.10
blue flowers in great profusion each 40c	1.10
Carpatica Riverslea. Very handsome form. Large clear blue flowers. Height 12 in. Very fine each 40c	1.10
Carpatica Wisley Variety. Beautiful mats of bright green foliage and large blue flowers each 50c	1.40
China Cup. Fine large flowers of Carpatica type each 40c	1.10

	BLUE, LAVENDER AND PURPLE	42
_	SUMMER AND EARLY AUTUMN AMPANULA	3 for
C	Collina. Tufts of scalloped foliage. Racemes of lovely deep	0 101
	blue flowers. Height 12 in. Caucasus each 40c Excisa. Pretty alpine species. Myriads of violet bells. 6	1.10
	in each 50c	1.40
	Fenestrellata. Close-growing form. Large lavender open flowers. Long stamens each 50c	1.40
	Garganica. Dwarf trailer. Flowers blue with white center. Italy each 35c Garganica Hirsuta. Velvety leaves. Pale blue flowers. 4	1.00
	in each 40c Glomerata Acaulis. Pretty dwarf form with clusters of rich	1.10
	violet flowers. Choice each 40c Istriaca. Pretty dwarf species with a profusion of pale blue	1.10
	starry flowers. June and July each 60c Latifolia. Toothed leaves and lavender blue flowers. Europe	1.65
	and Asia each 35c Leutweinii. A monocarpic. Forms a beautiful rosette of	1.00
	scalloped leaves, the 12 in flower stalk bearing very large pale blue flowers each 50c	1.40
	Longifolia. New. A rare dwarf species from the Pyrenees. The foliage forms rosettes of long narrow leaves. The	
	blossoms are a beautiful violet color appearing in June and July. Very fine	1.65
	Macrorrhiza. Tufted ovate toothed leaves. Graceful showers of violet bells	1.40
	Marchessetti. New. Purple bells, very free flowering. Height	0
	9 in. Fine and rare each 50c	1.40
	Muralis. Close growing spreading foliage. Tubular violet	1 10
	flowers. Height 9 in. Dalmatia each 40c Norman Grove Seedling. Lovely rare hybrid. Ht. 3 in. each 50c	1.10 1.40
	Persicifolia. Violet blue flowers in terminal racemes.	1.40
	Europe	.85
	and purple. Long flowering season. Height 12 in. each 35c	1.00
	Pilosa. Foliage tufted. The flower stems rise to 6 in. each	1.40
	bearing one enormous broad bell of blue each 50c Pseudo-Raineri. A charming little plant with very large	1.40
	purple blue flowers. June and July. Height 3 in each 60c	1.65
	Pulla. Small clustered foliage of glossy green. Very slender	1 10
	stems and purple bells each 40c Pulloides. Wide open purple bells. A choice alpine. each 40c	1.10 1.10
	Pusilla. Dwarf species with dainty bells of pale blue. 4 to 6 in.	1.10
	A gem for rock crevices. Europe each 50c	1.40
	Pusilla Lissadell. A fine hybrid with deeply cut foliage and a profusion of blossoms each 50c	1.40
	Raineri. Dwarf spreading habit. Ash-grey foliage and lavender	1.70
	blue flowers. One of the choice alpines from Northern	0.00
	Italy each 75c Robsonii. New. A hybrid between Carpatica Var. Turbinata	2.00
	and C. Scheuchzeri with deep blue flowers each 75c	2.00

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN

CAMPANULA	3 for
Rotundifolia (English Harebell). A slender graceful plant with beautiful blue flowers each 30c	.85
Rotundifolia Var. Olympica (Harebell). Large beautiful	
novelty with pale blue flowers. Slender graceful habit each 50c	1.40
habit each 50c Sarmatica. Oblong grey tomentose leaves. Nodding pale blue	1.40
flowers. Height 2 ft each 40c	1.10
Saxatilis. New. Tufts of oblong leaves. Rich sapphire tubular	1.10
flowers. Rare. Crete each 50c	1.40
Speciosa. New. A variety of Glomerata with larger flowers. A	
very showy type each 40c	1.10
Sub-Pyrenaica. A form of C. Rotundifolia. Long narrow foli-	
age and a profusion of lovely blue bells each 40c	1.10
Thessalica. A charming variety with lovely blue star-shaped	
flowers. Fine each 40c	1.10
Thrysoides Carniolica. A charming variety with lavender-blue	1 10
star-shaped flowers. Very fine each 40c	1.10
Turbinata. Violet-blue cup-like flowers, 1¼ in. across. Dwarf each 40c	1.10
	1.10
commetina—Crispa. Semi-creeping plant with jointed stems	
and bright blue flowers. All summer. A valuable addition to the rock garden on account of its continuous bloom. ea. 35c	1.00
	1.00
CONVOLVULUS—Mauritanicus. Trailer. Blue flowers. All summer. Very fine each 50c	1.40
	1.40
CRAWFURDIA — Trinervis (Creeping Gentian). Pale blue Gentian flowers followed by attractive red berries in winter.	
Japan. Sandy leaf soil in partial shade. Summer, autumn.	
each 75c	2.00
CYANANTHUS—Longiflorus. An exceedingly choice and rare	2.00
plant from the mountains of Yunnan. Rich blue	
flowers each \$1.00	2.75
DASYSTEPHANA—Porphyrio (Gentiana Porphyrio). Similar	2.70
to G. Acaulis only a taller growing type. Late fall	
bloom. North America each 40c	1.10
DELPHINIUM	
Cashmirianum. Dwarf form. Blue flowers tinted with lavender, blooming over a long period. Sun or shade each 35c	1.00
Chinense. Dwarf form with feathery foliage. Intense blue	1.00
flowers each 35c	1.00
Tatsiense. Pretty species with brilliant blue flowers. China.	1.00
Rare each 40c	1.10
Tom Thumb. Fine dwarf hybrid. Neat habit of growth and	
long succession of large lavender blue flowers each 35c	1.00
DRACOCEPHALUM	
Japonicum. Large lavender blue flowers on erect stems. ea. 35c	1.00
Speciosum. New. Purple flowers in dense heads. June and	1.00
July. Height 12 in. Himalayas each 50c	1.40

BLUE, LAVENDER AND PURPLE	44
SUMMER AND EARLY AUTUMN	3 for
Pumilio. Dainty blue flowers. An excellent rock plant. ea. 50c	1.40
Tenuifolius. Narrow foliage. Blue flowers in dense bracted heads. Height 6 in. Fine. Dalmatia each 50c	1.40
EPILOBIUM	
Amplectens. New. Bright green lance-like foliage. Summer	1.40
mer each 50c	1.40
ERICA—Stricta. Dull green, spiny foliage. Tiny bell-shaped rosy purple flowers each 50c and \$1.00	
ERIGERON—Valuable subjects for the rock garden. Sandy	
soil. Full sun. Caucasicus. A good dwarf form with a profusion of lavender	
flowers each 30c	.85
Compositus. Tufted plant with dense foliage. White or violet	1 40
flowers. North America each 50c Elatior. Lilac or purple flowers, 1½ in across. Long season of	1.40
bloom. North America each 35c Glabellus. Violet or purple flower heads, Height 1½ ft. North	1.00
America each 25c	.65
Glaucus (Seaside Daisy). Solitary heads of lilac or violet flowers, 1½ in. across each 25c	.65
Hybridus. A fine hybrid form with large deep lavender	
flowers each 30c Macranthus. Large purple flowers. Very effective for the	.85
background each 40c	1.10
Mesa Grande. Long narrow rayed daisies of cornflower blue. 18 in. Summer each 30c	.85
Multiradiatus. Supply limited. New. A fine form from the	.00
Himalayas. Grey foliage and large mauve flowers. each 40c	1.10
Pumilus. New. Tufts of grey-green foliage. Mauve flowers with deep golden centers each 35c	1.00
with deep golden centers each 35c Salsuginosus. Purple or violet flowers. 18 in. high. North	
America each 30c Trifidus. Native of North America. Tufts of small hairy foli-	.85
age and delicate daisy-like flowers of pale lavender on 2 to 3 in. stems. May to August. Very rare each 50c	1.40
Uniflorus. New. A good type. Large mauve flowers with golden centers. Slightly woolly foliage. High Alps. each 35c	1.00
ERODIUM-Macradenum. Tufts of soft green ferny leaves.	
Pale lavender pink flowers with large purple blotches on two upper petals. Sun. Pyrenees each 75c	2.00
	2.00
GEOPRUMNON—Crassicarpum (Groundplum). Low trailing plant with pinnate leaves and clusters of purple flowers.	
The inflated seed-pods are very attractive each 35c	1.00



Pool In Late Summer

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN	46
	3 for
GENTIANA Altaica. Magnificent species making a dense tuft of oblong pointed leaves from which rise countless stems half inch long each carrying a single large violet blue trumpet	
shaped blossom	2.00
Lagodechiana. Highly satisfactory plant and one of the easiest to grow. Large pale blue flowers. Fine for the	1.65
rockery. July and August each 60c Phlogifolia. Phlox-leaved variety from Transylvania, with fine	1.65
Gentian flowers	2.00
Rochellii. Large blue trumpet-shaped blossoms. Dense evergreen foliage	2.00
Saponaria. Flowers of brilliant blue. Stems 9 to 12 in. high. Moisture loving species each 60c	1.65
Septemfida. Large flowers of clear soft blue. 9 in. stems. From the Caucasus. Partial shade and peaty soil each 75c	2.00
GERANIUM—Sun and sandy soil. Pratense. Large violet blue flowers; 18 in. high each 30c	.85
Pyrenaicum. Supply limited. Rounded leaves; purple flowers. Height 12 in. Native of Great Britain. Rare. May to	٠٥٥
August each 60c Wallichianum. Prostrate perennial. Beautiful purple flowers.	1.65
Himalayas. Rare each 60c GLOBULARIA	1.65
Bellidifolia. New. Charming evergreen Alpine plant with	
pretty fluffy heads of softest blue each 40c Nudicaulis. New. Fluffy heads of deep blue flowers on 6 in.	1.10
stems. Very fine. Shade and limy soil. Europe each 50c Trichosantha. Globe-like heads of deep blue flowers. A very	1.40
fine alpine	1.00
HEDYSARUM—Sikkimensis. New. Grey-green foliage. Attractive rosy-purple flowers. Height 6 to 9 in each 50c	1.40
IRIS — Dichotoma. Fan shaped foliage. Branching stems covered with white and lavender flowers. August and September. Very fine and unusual each 50c	1.40
JASIONE	
Humilis. Free flowering variety. Short stalked heads of lovely blue flowers. Height 4 in. Pyrenees each 50c	1.40
Montana. Heads of small delicate blue flowers on slender stems. Europe each 35c	1.00
LACTUCA—Lessertiana. Lance-shaped foliage. Neat 12 in. habit. Freely branching. Large lavender-blue flowers. First time listed	2.00


SUMMER AND EARLY AUTUMN	3 for
LAMIUM—Maculatum. Beautiful evergreen plant with variegated leaf. Procumbent stems ending in flower heads of lavender. Continuous bloomer. Sun or shade. North America each 35c	1.00
LAVENDULA	
Atropurpurea Nana. Silvery grey foliage with tiny spikes of purple-blue flowers. Very fine and dwarf each 50c Vera. Shrublet with fragrant foliage and lavender flowers. Mediterranean region each 50c	1.40 1.40
LIATRIS	2010
Punctata. Stalks covered with fringy lavender flowers. A charming dwarf for high spots in the rock garden. Midsummer bloom each 50c Scariosa. Oblong lanceolate leaves. Lovely blue-purple flowers. North America. Dwarf form each 30c	1.40
LINARIA	
Alpina. Tiny. Trailing blue-grey foliage. Flowers of violet and orange. 3 in. All summer. Rare. Alps each 40c Cymbalaria (Kenilworth Ivy). Trailing species with beautiful	1.10
foliage covered all spring and summer with dainty little orchid-like flowers each 35c Faucicolor. New. Prostrate habit. Small glaucous blue-green leaves. Large brilliant violet-blue flowers. Long season of	1.00
bloom. Rare. The first time this plant has been listed each 50c Minor. New. Hardy annual which reseeds itself. Tiny trailing species with small yellow and manve flowers. Switzerland. each 30c	1.40
	.85
Alninum Protter Flow with large blue flowers 6 in	
Alpinum. Pretty Flax with large blue flowers. 6 in. Europe each 35c Collinum. Low growing species. A profusion of soft blue	1.00
flowers all summer each 50c Narbonnense. Profusion of rich blue flowers, 1½ in. across.	1.40
All summer. Very fine each 30c Perenne. Delicate blue-grey foliage. Pretty pale blue flowers on slender stems. June to September each 30c	.85
	.03
Craminifolium I on a normany grana lilva foliaga. Light blue	
Graminifolium. Long, narrow grass-like foliage. Light blue flowers. 12 in. Rare and lovely alpine. Northern Italy each 75c	2.00
Petraeum. New. and rare. Neat woody bushlets covered with	
narrow silvery leaves and a profusion of pale blue blossoms. Greece each 75c	2.00
Greece each 75c Prostratum Heavenly Blue. Fine sub-shrubby prostrate species. Deep sky-blue flowers each 75c	

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN	48 3 for
MENZIESIA — Polifolia. Compact evergreen shrub with racemes of large purple flowers each 50c and \$1.00	3 101
MICROMERIA	
Dalmatica. New. Herb with attractive foliage and lavender flowers. Height 10 to 12 in. Fragrant each 25c Juliana. Wiry stems with small fragrant leaves resembling	.65
Satureia though smaller and not so spreading. 8 in. each 30c	.85
NEPETA	
Mussini. (Catmint). Long racemes of lavender flowers and	
silvery grey leaves. About 1 ft. tall each 30c	.85
Nuda. Upright habit with silvery grey leaves, and racemes of	1.00
violet flowers. Europe each 35c Souv. Andre Chaudron. Large deep blue flowers on 18 in.	1.00
stems each 40c	1.10
Ukranica. Spikes of dark blue flowers. 12 to 18 in. tall. June	1.10
to September each 40c	1.10
PENTSTEMON	
Amethyst Gracilis. New. Fine form with large true amethyst	
colored flowers each 50c	1.40
Angustifolia. A dwarf with grey-green foliage. Brilliant sky-	
blue flowers sometimes tinged with pink each 60c	1.65
Cardwellii. Small thick evergreen leaves. Short spikes of	
bright purple flowers each 50c	1.40
Erianthera. Showy racemes of large blossoms of warm lavender made more attractive by bearded tongues of deep yellow. Buds pink. Lime. Sun each 75c	2.00
Gracilis. A very desirable small species covered with bloom from July to September. Deep lavender flowers. each 50c	1.40
Menziesii. An excellent plant having tiny evergreen foliage which follows the contour of a rock as closely as Ivy. A	
profusion of lavender-blue flowers in late spring. each 60c	1.65
Menziesii Var. Davidsonii. A fine hybrid of the above. ea. \$1.00	2.75
Procerus. Lavender blue flowers covering procumbent stems	
in late summer and autumn. 8 in. Very fine. North America each 35c	1.00
Pubescens. Flowers from July to September. Fine foliage. The color of the flowers range from violet and purple to	1.00
white. North America. Height 18 in each 35c	1.00
PLATOCODON—Mariesii. Very fine dwarf variety. Enormous deep blue flowers. Full sun. Midsummer. Asia each 25c	.65
PLUMBAGO Larpentae. A lovely plant covered with azure blue flowers in early autumn. Height 9 in each 30c	.85
PRUNELLA	
Grandiflora. Pretty dwarf plant with deep violet blue flowers. Europe each 35c	1.00

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN

SOMMER AND EARLY ACTOMIN	3 for
PRUNELLA	0 101
Laciniata. Lavender flowers. July to September. Europe. Rich	
sandy soil each 30c	.85
Vulgaris. Procumbent stems and flowers shaded a lovely	
violet color each 30c	.85
Webbiana. A lovely plant forming masses of beautiful foliage.	
Dense spikes of rich lavender flowers. Europe. July to	1 00
September. Rich sandy soil each 35c	1.00
RUELLIA—Occidentalis. Large violet flowers with darker	4.00
lines on leafy stems 8 in. high each 35c	1.00
SCABIOSA	
Caucasica. Large lavender flowers on 10 in. stems. Summer	
and autumn. Caucasus each 30c	.85
Graminifolia. Silvery grey leaves and large rosy lavender	
flowers. Height 6 in each 50c	1.40
SCUTELLARIA	
Angustifolia. Grey-green foliage and large deep blue flowers.	
Very fine. July and August each 50c	1.40
Resinosa. (Dwarf Skullcap). Blue flowers with white dotted throat on erect leafy stems 8 in. high each 50c	1.40
Sp. New. A very dwarf species from Japan with rosy-lavender	1.70
flowers. Fine and rare each 50c	1.40
SPARAXIS — Pulcherrima. (Angel's Fishing Rods). From	
tufts of upstanding Iris-like leaves spring tall thin arching	
stems swaying with pretty rosy-purple bells. South Africa.	
(Needs protection in winter). Half hardy each 50c	1.40
STACHYS-Lanata. Foliage resembles white velvet. Bright	
purple flowers 1 ft. high. Caucasus each 30c	.85
STATICE	
Bellidifolia. A beautiful dwarf form of Sea Lavender with	
rosettes of green leaves and sprays of dainty lavender	4.40
flowers each 50c	1.40
Dumosa. Fine new Sea Lavender with lacy lavender flowers	1.40
	1.70
SYMPHYANDRA—Wanneri. Narrow sharply toothed leaves. Sprays of beautiful violet flowers. 6 in. Europe. each 75c	2.00
THALICTRUM — Dipterocarpum. Lovely spires of mauve	2.00
flowers. Height 2 ft. China each 40c	1.10
TRADESCANTIA	1.10
Occidentalis. Grows to a foot in height. Blue flowers some-	
what smaller than T. Bracteata. A persistent bloomer.	
Sandy soil each 35c	1.00
Virginica. Blue flowers. Height 2½ ft. Blooms all summer.	
North America each 30c	.85
VERBENA	
Bipinnatifida. Prostrate herb with pinnately lobed leaves and	
masses of rosy-layender flowers all summer each 35c	1.00

BLUE, LAVENDER AND PURPLE	50
SUMMER AND EARLY AUTUMN	
VERBENA	3 for
Bracteosa. Low spreading plants smaller in leaf and blossom	
than the common garden Verbena. The color is deep	
lavender. Showy and a long season of bloom each 50c	
Canadensis (V. Aubletia). Masses of rosy lavender flowers on	_,,,
12 to 18 in. stems. July to October each 40c	1.10
Hastata. Erect leafy stems 2 ft. high. Dense spikes of purple	
flowers each 35c	1.00
Venosa. A very beautiful variety with quantities of deep helio-	
trope flowers on 8 in. stems. Summer and autumn. Sandy	
soil each 35c	1.00



Wahlenbergia Pumilio

VERONICA

.85
1.40
.85
1.00
.85
.85
.85

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN

SUMMER AND EARLY AUTUMN	
VERONICA	3 for
Spicata Nana. Dwarf habit. Spikes of violet blue flowers. Ht. 5 in. Choice each 50c	1.40
Wardiensis. Handsome evergreen shrub about 12 in. high.	1.40
Grey-green leaves. Fine blue flowers. Supply limited. ea. 50c VIOLA	1.40
Admiration. Beautiful rich purple flowers. Profuse bloomer.	1.00
each 35c	1.00
Cornuta Blue Perfection. Lovely blue blossoms. All spring and summer each 35c	1.00
Cornuta Papilio. Pretty hybrid. Continuous bloom. Large	1.00
Violet blue flowers in great profusion. Spain and	0 5
Pyrenees each 30c Pedata. Deep cut foliage. Pale lavender flowers each 25c	.85 .65
Pedata Bicolor. Deep velvety violet upper petals; pale blue	.05
lower petals. The finest of our native Violas. Blooms all	
summer and autumn each 35c	1.00
WAHLENBERGIA (Edraianthus).	
Dinarica. New and rare. Loose silvery tufts. Quantities of large purple bell flowers. Height 2 ft. Europe. Summer.	
each 75c	2.00
Gracilis. A charming type with large lavender blue bells. All	_,,,
summer. New Zealand each 50c	1.40
Pumilio. Dainty blue flowers. An excellent rock plant. ea 75c	2.00
Tasmanica. New. Dwarf variety. Dainty bright blue blossoms on thread-like stems. Very choice each 75c	2.00
on thread-like stems. Very choice each /50	2.00
WHITE	
Autumn and Winter (I get of Cant to Mouch)	
Autumn and Winter (Last of Sept. to March)	3 for
CHRYSANTHEMUM	1.40
Alpinum. A miniature marguerite. 3 in. Sun. Alps each 50c Articum. Decumbent at base. Aster-like flowers, white to	1.40
lilac. Fine for edging paths or to plant at the base of walls.	
Height 12 in. Arctic Regions each 25c	.65
Coreanum (C. Sibiricum). White flowers with golden center. Flowers often turn to light pink. Remarkable new variety	
from Korea each 35c	1.00
ERICA—Carnea Alba. Nodding white flowers. Blooms all fall	
and winter each 50c and \$1.00	
GALANTHUS—Nivalis. (Snowdrops). Lovely nodding white	
blossoms which sometimes appear as early as the last of	
January and bloom over a long period dozen \$1.00	
HELLEBORUS—Niger (Christmas or Lenten Rose). Beautiful	
evergreen variety. Large glistening white flowers sometimes tinted lavender. Blooming period from last of Janu-	
ary until March each \$1.00	
and the second s	

WHITE (CONTINUED)	52
AUTUMN AND WINTER	3 for
LEUCOJUM—Vernum. Blooms in late winter or very early spring. Lovely white flowers dotted with green at tips dozen \$1.00	
LONICERA — Fragrantissima. Partly evergreen. Sweetly scented creamy white flowers from December to March. In late summer bright red berries adorn this shrub. 2 to 3 ft each 75c	
SAXIFRAGA—Burseriana Magna. Short, sturdy growth and large white flowers. One of the best each \$1.00	
YELLOW AND ORANGE	
AUTUMN AND WINTER	
ACHILLEA—Ageratum. Attractive yellow flowers appearing in autumn each 25c	.65
ERANTHIS — Hyemalis (Winter Aconite). Brilliant golden blossoms with collars of bright green leaves. Should be planted in large groups for best effect dozen 75c	
INULA—Ensifolia. Narrow leaved tufts. Golden blossoms. Ht. 6 in. Autumn each 30c	.85
SAXIFRAGA Apiculata. Mats of green spiny foliage. Yellow blossoms.	
Early spring each 40c Elizabethae. Wide green mats. Soft yellow flowers. Very early	1.10
spring each 60c SIDERANTHUS—Spinulosus. Low plants with finely divided	1.65
greyish leaves. Masses of golden Aster-like flowers in Sept. and October. Very fine each 50c	1.40
SOLIDAGO Glaberrima. (Dwarf Goldenrod). Low herb with stout erect	
stems and thick clusters of golden flowers each 35c Wardii. (Fragrant Goldenrod). Several small stems with	1.00
smooth green leaves and spikes of yellow flowers. Very fragrant each 35c	1.00
PINK, ROSE AND RED AUTUMN AND WINTER	
ANEMONE—Hupehensis. Very ornamental foliage. Pale pink	
or mauve flowers shaded deeper pink on back. 12 to 18 in. Autumn each 30c	.85
ASTER—Mauve Cushion. Cushion-like plants. Lovely pinkish mauve in Autumn each 30c	.85
CYCLAMEN	
Europaeum. Leaves handsomely marbled and flowers vary-	
ing from soft pink to deep rose. Very fragrant. Autumn each \$1.25	3.50

flowers. Bright golden centers. each 50c

Kumleinii. "Prairie Gem." A compact, low growing plant with solid masses of bright blue golden centered blossoms late September. Rare. Very choice species. Full

Pleiades. Dainty foliage. Profusion of lavender flowers on 8 in, stems. Autumn. Sun. each 35c

in

1.40

1.40

1.00

BLUE, LAVENDER AND PURPLE (CONTINUED) AUTUMN AND WINTER	
ACTOMIC AND WINTER	54 3 for
CHIONODOXA—Luciliae (Glory of the Snow). A mass planting of these makes a charming effect. Azure blue flowers on stems 7 to 8 in. high. Early spring dozen 60c	3 101
CROCUS—Speciosus. Large bright blue flowers with long red anthers and bright yellow throat. Makes a showy display in autumn dozen 75c	
IRIS Control of the state of th	
Autumn King. Enormous flowers of lavender with deep velvety purple falls. A very handsome plant for the background of the rock garden each \$1.25	3.50
Reticulata. Beautiful velvety purple flowers flecked with gold. March	
SCILLA	
Bifolia. Gentian blue flowers in March. Makes a lovely effect planted with Eranthis Hyemalis dozen 85c	
Siberica. Blossoms last of February or first part of March. Bright blue bell-like flowers on stems 3 to 4 in. high. dz. 75c	
VIOLA-Cornuta Papilio. Pretty hybrid. Continuous bloom.	
Large violet blue flowers in great profusion. Pyrenees. Fall and winter each 30c	.85
MIXED COLORS	
ANEMONE—Coronaria Empress. An exceedingly fine strain	
from France with very large flowers in several colors.	
New each 50c	1.40
New each 50c ANTIRRHINUM—Rock Garden Hybrids. A hardy form with beautiful large Snapdragon flowers in colors ranging	1.40
New	1.40
New each 50c ANTIRRHINUM—Rock Garden Hybrids. A hardy form with beautiful large Snapdragon flowers in colors ranging through pink, rose and yellow. Height 6 in. Blooms practically all summer each 40c AQUILEGIA	1.10
New	1.10
New	1.10
New	1.10 .85 .65
New	1.10
New	1.10 .85 .65
New	1.10 .85 .65
New	1.10 .85 .65 .65
New	1.10 .85 .65 .65 .65
New	1.10 .85 .65 .65

	3 for
EPIMEDIUM—Mixed. Lovely foliage. For shady spots. Mixed colors. Peat and moisture each 40c	1.10
LUPINUS—Finest mixed each 35c	1.00
PAPAVER—Alpinus. Tufts of finely cut foliage. Flowers of	
white, rose, yellow or orange. Dwarf species each 30c	.85
POTENTILLA—Double Mixed. Mixture of the best double	<i>~</i> =
varieties each 25c	.65
PRIMULA	
Acaulis Hybrids. A fine new hybrid with extra large flowers in various shades of rose, blue and yellow each 35c	1.00
Auricula Hybrids. A select strain of the well-known Auricula.	1.00
A very fine mixture each 35c Cashmeriana Hybrids. Large globular heads of flowers rang-	1.00
ing through mauve to purple. 10 in. Himalayas. each 35c Grandiflora Hybrids. A fine strain with particularly large	1.00
flowers in various colors each 40c	1.10
Munstead Strain. Magnificent strain of Polyanthus Primroses. Very large flowers in various colors each 30c	.85
Veris Elatior Polyanthus. A splendid strain of gorgeous color-	
ings each 30c Veris Hybrids. Hybrids of yellow Cowslip with clustered	.85
drooping flowers ranging in color from crimson to yellow	
and pure white. Spring each 25c	.65
VIOLA—Cornuta Hybrids. A mixture of the best Cornuta varieties each 30c	.85
y	
FOLIAGE PLANTS	
ACAENA	3 for
Argentea. Blue grey foliage and red burr-like flowers	
Good carpeter. New each 50c	1.40
Glauca. Good carpeter for spring bulbs. Finely cut blue	
foliage. Sun or shade each 35c Microphylla. Bronze-green leaves with crimson fruits. Sun or	1.00
shade each 40c	1.10
Novae Zealandiae. Trailing bronze foliage. Tiny scarlet	_,_,
burrs each 50c	1.40
Ovalifolia. Lovely bronze green foliage. Creeping form.	1.40
New each 50c Pinnatifida. A native of Chile. New and rare each 50c	1.40
BERBERIS—Concinna. Deciduous species with very beautiful	
leaves. Silvery white reverse. Carmine red fruits, nearly as	
large as cherries. A fine type, India. New each \$1.25	3.50
COTULA—Squalida. Forms a carpet of minute ferny evergreen foliage. 3 in. Shade. New Zealand each 30c	.85

FOLIAGE PLANTS (CONTINUED)	20
EUONYMUS	3 for
Japonicus Aureus. Brilliant green foliage with golden edges. A fine shrub for the background each \$1.00	
Kewensis. Very tiny evergreen trailer with small round green leaves. Fine for rock garden each 50c	1.40
Radicans Acutus. Climbing evergreen with small leaves. Japan each 75c	
Radicans Variegatus. A climber with attractive grey and white variegated leaves. May be cut back and used over large rocks. Very effective planted at the base of trees	
Speciosus. A tiny dwarf shrublet with dark green foliage. Very unique and lovely. New and rare each \$1.00	
Sp. Var. Silver Queen. New. Very rare. A miniature shrublet of compact form with variegated foliage. This is the first time this interesting and beautiful little plant has been listed in a catalogue in this country. A great addition to the rock garden each \$1.50	
FESTUCA—Glauca. Dwarf. Blue grey-tufted grass. Very pretty for rock garden and useful around pools. 8 in each 25c	.65
HEDERA	
Baltica Variegata. Miniature climbing variegated Ivy. Perfectly hardy. Very showy on walls or climbing over large rocks	2.00
Conglomerata. Dwarf Ivy with tiny twisted foliage. each 75c	2.00
(Heart Shaped Ivy). A new and beautiful form of Ivy with dark green heart shaped leaves each 50c	1.40
Helix Pedata. (English Ivy) each 50c	1.40
MUEHLENBECKIA—Nana. A tiny creeping plant with foliage resembling Maidenhair fern. From New Zealand. 2 to 3 in each 30c	.85
PELLEA—Densa. (Cliff Brake). Tiny fern. Partial shade or sun. Delightful when used with bulbs each 50c	1.40
PIERIS—Nitida. Evergreen shrub turning to bronze in the autumn. Red flowers in clusters. June and July. Native of North America. Needs winter protection each 75c	2.00
SIBBOLDIA — Procumbens Grandiflora. New. Pale green carpeter. Does well in cool, shady and well drained place	1.00

SAXIFRAGA

SAXIFRAGA—(Saxifragaceae). No rock garden is complete without a collection of these interesting and beautiful alpines. Their requirements are good drainage and a soil composed of leafmold, loam, a little well decayed cow manure and sand. All types and varieties require partial shade in the Eastern section of this country. They should receive a good top dressing of the above mentioned soil mixture in the spring and autumn, and a light covering of salt hay during the winter.

EUAIZOONIA GROUP—(Encrusted Varieties). These form rosettes of narrow and spatulate shaped leaves, heavily encrusted with lime in most cases, and are extremely orna-

mental in the rock garden.



Saxifraga—Cotyledon Pyramidalis

	3 101
Aeizoon Alba. White blossoms, 4 to 6 in each 30c	.85
Aeizoon Rosea. Sprays of lovely pink blossoms. 9 in. Rosy	
form of above each 35c	1.00
Aeizoon Balcana. Pale green leaves. Sturdy red stems about	
5 inches high bearing large flowers densely covered with	
crimson dots each 40c	1.10
Aeizoon Flavescens. Yellow flowers. Choice each 35c	1.00
Aeizoon Minima. Silvery miniature foliage. White flowers.	
One of the best of the very small types. Very scarce. ea. 40c	1.10

Apiculata. Mats of green spiny foliage. Yellow blossoms. Early Spring. each 40c

Apiculata Alba. White form of the above. each 40c

1.10

1.10


Boryi. Rosettes of short, spoon-shaped leaves. Large white	
flowers borne on 1½ inch stems. Very fine each 75c	
Ferdinandi-Coburgi. Neat cushions of silvery-grey. Bright	
yellow flowers each 40c	1.1
Godseffi. Blue-grey rosettes. Yellow flowers each 50c	
Griesbachii Wisley Var. Blue grey rosettes. Red blooms. In-	
teresting and rare each 75c	
Petraschii. Tight silvery cushions. Large white flowers.	
Choice each \$1.25	
Sancta. Wide masses of short green leaves with broad edges	
of silver beading. Stems of 2 or 3 in. carrying loose trusses	
of bright vellow flowers each 75c	



Saxifraga Petraschii

DACTYLOEIDES GROUP—(Mossies). These form cushions and mossy mats. They are especially nice for place in damp, shady part of rock garden. They like plenty of leafmold and appreciate an extra mulch in spring and fall.	
Affinis. (The Dovedale Moss). Emerald green carpets and pro-	
fusion of white flowers in spring and early summer. Rapid growth. Native of Western Europe each 35c	1.00
Ceratophylla. Mats of shining foliage. Large, pure white flowers on branching stems. (Tiny Staghorn) each 30c	.85
Decipiens Alba. Foliage with broad, blunt lobes. White	
flowers each 30c	.85
Decipiens Mixed. Fine and rare hybrids each 30c	.85
Guildford Seedling. Bright crimson hybrid. One of the best.	1 00
each 35c	1.00
H. S. Stokes. Compact habit. Bright carmine flowers. each 35c	1.00

	2 101
ROBERTSONIA GROUP — (London Pride). This section embraces the well known London Pride and its immediate	
relatives. They require shady, moist position and all have	
attractive green foliage and delicately colored flowers.	
Geum Minor. New. Pretty small leaves form. Dainty panicles	
of white flowers. May and June each 50c	1.40
Umbrosa. (London Pride). Dark green foliage. 15 in. sprays	
of pink flowers each 35c	1.00
Umbrosa Var. Colvillei. Beautiful deep green rosettes. 6 in.	
stems crowded with dainty pink to white flowers. each 50c	
Umbrosa Primuloides. Mounded rosettes of dark wavy-edged	
foliage. 8 in. showers of soft pink flowers on pink	
stemseach 35c	1.00



Saxifraga Godseffi

DIPTERA GROUP—(Two winged Rockfoils). The members of this section are characterized by having petals of unequal length. They are natives of Japan and China. Practically hardy if planted in a well sheltered position.


Sarmentosa. Attractive white and green mottled leaves. White flowers. June and July. Shade and moisture. each 60c

TRACHYPHYLLUM GROUP—(Rough-leaved Rockfoils). A group of low growing prostrate species. They require a somewhat moist position in stony soil.

Virginiensis. Rosettes of toothed oval leaves. Showers of little white stars. each 25c

.65

MEGASIA GROUP — (Large Leaved Rockfoils). These are	3 101
known from all other Saxifrages by their massive size and	
breadth of leafage, and most of them being an evergreen	
character are very effective as hardy foliage plants at all	
times of the year. Plant in sheltered positions.	
Cordifolia. Glossy leathery leaves. Pink flowers on 12 in.	
stems each 40c	1.10
Megasia Hybrida. Fine strain of the large leaved Saxi-	
frages each 50c	



Gentiana Acaulis and Androsace Primuloides

SEDUM

	3 for
SEDUM—Sun loving plants, excellent for walls, dry banks,	
stepping stones, and rock gardens. The majority are well	
worth a place for the low carpets of richly colored foliage.	
Acre. Evergreen carpeter. Yellow flowers each 25c	.65
Acre Elegans. Attractive carpeter for paths. Bright yellow	
flowers each 30c	.85
Acre Golden. Neat golden mats each 25c	.65
Album. Tufted habit. White flowers on 6 in. stems. Summer.	
Europe each 25c	.65
Altissimum. Blue green foliage. Yellow flowers on 9 in.	
stems each 25c	.65
Anacampseros. Grey-green leaves. Purple flowers each 35c	1.00
flowers each 35c	1.00
Anglicum. Creeping evergreen making mats. Blush flowers.	
Summer. Western Europe each 25c	.65

	3 for
Sempervivum. Fat fleshy dark green leaves deepening to bronze, resembling a Sempervivum of the Calcareum group.	
Fine pink flowers each 75c	2.00
Sexangulare. Mats of gold. Fine for rock walls each 25c	.65
Sieboldii. Lovely silvery-blue foliage. Trailing variety. Bright pink flowers. Autumn. Shade each 35c	1.00
Spathulifolium. Evergreen rosettes tinged with red. Branched heads of bright yellow flowers. Very fine each 50c	1.40
Spectabile. Fleshy, glaucous leaves. Pink flowers. 2 ft.	
Autumn each 35c	1.00
Spectabile Brilliant. Red flowering form of the above. each 35c	1.00
Spurium. A creeping plant with broad leaves and flowers of	
bright pink. Autumn each 25c	.65
Tenuifolium. Clustered spiky mats of pale green and white	
star shaped flowers. Rare each 40c	1.10
Ternatum. Evergreen broad leaved tufts. Pure white flowers	
with purple anthers. North America each 35c	1.00
Yosemitense. Rosettes of blue green foliage. Cymes of orange	
flowers on 4 in. stems. New. Rare and very fine each \$1.00	2.75



Sempervivum Arachnoideum

SEMPERVIVUM—Interesting plants of easy culture for sunny situations. Soil should be a light loam containing sand, well rotted manure, leafmold and stone chips. The majority

36' . O 11' 37 1 1 1 1 T	3 10r
Minto Seedling. Very rare hybrid. Large rosettes. Deeply tinged with red each 75c	2.00
Pittoni. Medium-sized rosettes, with a downy surface to the leaf. Pale yellow flowers. Scarce each 50c	1.40
Pyrenaicum. Pale rose flowers in wide heads. From the Pyrenees each 75c	2.00
Mixed Varieties. Unnamed dozen \$1.00; hundred \$8.00	
Rubicundum, Large rosettes of reddish color each 60c	1.65
Soboliferum. Pretty golden rosettes each 15c	.40
Tectorum. (Common Hen and Chickens or Roof Houseleek). Rosettes 3 to 4 in. across. Flowers pink-red. Europe and Asia each 25c	.65
Triste. Rosettes of bronzy-green foliage. Purple flowers.	.03
each 40c	1.10
Verlotti. Medium green rosettes, slightly tipped red. each 50c	1.40
Wulfeni. Large sea-green rosettes, slightly red at the tip. Pale yellow flowers in dense panicle. Central Europe. ea. 60c	1.65
THYMUS Aureus Nana. Small bushy type with golden foliage. Very	
fragrant each 35c	1.00
Aureus Vagans. A very unusual form with fine yellow variegated foliage each 50c	1.40
Citriodorus. Small lemon-scented Thyme. Native of North America each 30c	.85
Citriodorus Aureus. Golden leaved lemon-scented Thyme. each 30c	.85
Nitidus. Silvery-grey variety with masses of rosy-lilac flowers.	1 10
Height 9 in. Sicily. Very fine each 50c Serpyllum Coccineus. Crimson flowered creeping Thyme.	1.40
each 30c	.85
Serpyllum Albus. Glossy green mats. Clouds of white flowers in June, July and August. Height 1 in each 30c	05
Serpyllum Cinereum. A fine creeping form with lilac flowers.	.85
each 30c	.85
Serpyllum Lanuginosus. (Woolly Thyme). Creeping habit; strongly scented foliage. Purple flowers. North America. each 30c	.85
Serpyllum (Wild Thyme). Creeping habit. Strongly scented	.03
foliage. Purple flowers each 25c	.65
Vulgaris. (Common garden Thyme). The well-known herb. Fine foliage and lilac flowers. May and June each 25c	.65

HERB LIST

	each	3 for
Anise—Pimpinella anisum	.25	.65
Balm of Gilead—Cedronella cana	.25	.65
Calamintha—Calamintha alpina	.30	.85
Camomile—Anthemis nobilis	.25	.65
Catnip—Nepeta cataria	.25	.65
Chive—Allium schoenoprasum	.25	.65
Citron Thyme—Thymus citriodorus	.30	.85
Common Thyme—Thymus vulgaris	.25	.65
Coriander—Coriandrum sativum	.25	.65
Creeping Mint—Mentha requieni	.30	.85
Dill—Anethum graveolens	.25	.65
Fennel—Foeniculum vulgare	.25	.65
Garden Sage—Salvia officinalis	.25	.65
Germander—Teucrium chamaedrys	.35	1.00
Hoarhound—Marrubium vulgare	.25	.65
Hyssop—Hyssopus officinalis	.30	.85
Micromeria Dalmatica	.25	.65
Micromeria Juliana	.30	.85
Micromeria Rupestris	.30	.85
Peppermint—Mentha piperita	.25	.65
Rosemary—Rosmarinus officinalis	.40	1.10
Rue—Ruta graveolens	.25	.65
Southernwood—Artemisia abrotanum	.40	1.10
Spearmint—Mentha spicata	.25	.65
Sweet Basil—Ocinum basilicum	.25	.65
Sweet Marjoram—Origanum vulgare	.25	.65
Tansy—Tanacetum vulgare	.25	.65
Tarragon—Artemisia dracunculus	.30	.85
Winter Savory—Satureia montana	.35	1.00




Table Garden

TABLE GARDENS are becoming very popular. When properly planted with alpine miniatures they are fascinating and provide great interest during the winter. The list of plants given below have been thoroughly tested in overheated rooms and have proven their adaptability to flourish under these trying conditions.

Saxifraga in variety, Primula Juliae, Cotula Squalida, Rosa Roulettii, Bellium Minutum, Bellis Rotundifolia Caerulescens, Edrianthus, Sedum Oregonum, Sedum Spathulifolium, Soldanella Alpina, Erinus Alpinus, Dwarf Ivies, Dwarf Ferns, Lotus Corniculatus, Mentha Requieni, Houstonia Caerulea, Sedum Dasyphyllum, Raoulia Australis, Achillea Tomentosum, Small types of Sempervivums, Lithospermum.

For "trees" the following may be used:— Aethionemas, Hypericums, Ericas, Small Azaleas, Seedling Evergreens, Dwarf Rhododendrons.

If you will send us the size of the container, we will be very glad to give suggestions on how to arrange the planting and what to use. We also have a collection of beautiful stones to use in the gardens.

DWARF OR SLOW GROWING CONIFERS AND EVERGREENS SUITABLE FOR ROCK GARDENS

We have a list of Dwarf Evergreens which are attractive in the rock garden. This will be sent on application.



Planted Wall

BRIEF LIST OF PLANTS FOR WALL GARDENS IN SUN

ACAENA MICROPHYLLA. ACHILLEA TOMENTOSA. ALYSSUM in variety. Top or face. ANDROSACE LANUGINOSA. ANDROSACE LANUGINOSA LEICHTLINII. ARABIS in variety. Toward base. CALLIRHOE INVOLUCRATA. CHRYSOPSIS VILLOSA. CONVOLVULUS MAURITANICUS. CYTISUS KEWENSIS. DIANTHUS in variety. Face or Base. ERIGERON MUCRONATUS. ERIOPHYLLUM CAESPITOSUM. ERINUS ALPINUS. ERIOGONUM CRASSIFOLIUM. GENISTA PROSTRATA.

69 PLANTS FOR WALL GARDENS IN SUN (CONTINUED)

GENISTA SAGITTALIS.

GERANIUMS. Trailing varieties, top or base.

GYPSOPHILA REPENS. Top or face.

HELIANTHEMUM in variety. Top or base.

IBERIS in variety. Face.

LINARIA ALPINA. Face.

LITHOSPERMUM. Face.

OENOTHERA TARAXACIFOLIA.

ONOSMA in variety.

PHLOX SUBULATA in variety. Toward base.

POTENTILLA TONGUEI.

SAPONARIA OCYMOIDES. Top or base.

SEDUMS in variety. Toward base.

SEMPERVIVUMS in variety. Base.

SIDERANTHUS SPINULOSUS.

SILENE in variety. Face.

THYMUS in variety. Top or toward base.

TUNICA SAXIFRAGA. Toward base.

UMBILLICUS CHRYSANTHUS. Face.

VERBENA ALPINA.

VERBENA BIPINNATIFIDA.

VERONICA in variety.

VIOLAS in variety.

BRIEF LIST OF PLANTS FOR WALL GARDENS IN PARTIAL SHADE

ARENARIA BALEARICA. Face.

AUBRIETIA in variety. Top or face.

CAMPANULAS in variety. Top or face.

ERYTHRAEA DIFFUSA MASSONII.

HYPERICUMS in variety. Top or face.

LEWISIAS in variety. Face.

LINARIA CYMBALARIA. Face.

LOTUS CORNICULATUS.

OXALIS in variety. Face.

POLYGONUM VACCINIFOLIUM.

RAMONDIA PYRENAICA. Face.

SAXIFRAGAS in variety. Face.

SEDUMS in variety.

VERONICA REPENS.

VIOLA ODORATA ROSINA.

THE PERFECT GARDEN LABEL

Ordinary lead pencil markings on this label are permanent without any protection, in all weathers, all soils, all seasons, above or under the soil. Inconspicuous, the beautiful cool grey-green color blends with the soil, foliage, and the rocks. They are economical as the markings can be completely erased with a pencil eraser and label marked again at any time.



1

		OLL GILLED LIV DIEL	
12	Labels	•••••••	\$.90
	Labels	•••••	1.75
	Labels	•••••	6.75
	Labels	•••••	32.50
1000	Labels	• • • • • • • • • • • • • • • • • • • •	65.00
		BORDER SIZE	
12	Labels	• • • • • • • • • • • • • • • • • • • •	\$1.00
25	Labels		2.00
	Labels		7.75
	Labels		37.50
1000	Lahels		75.00

ROCK GARDEN SIZE

POT LABELS

Box	ot	100	Labels .		\$2.50
			TIE-ON	LABELS	
Box	of	100	Labels .		\$3.00

SHOW GARDEN LABELS

Labels		\$1.25
Labels		2.50
Labels		9.50
Labels		45.00
	Labels Labels Labels	Labels Labels Labels Labels Labels

CRONAMERE HUMUS

FOR ROCK GARDENS — GRADE A

Our own preparation to be used in the building of rock gardens as well as top dressing spring and fall.

1 b	oag—100 lbs.		 \$1.50
10	bags—1000	lbs.	 . 10.00
20	bags—2000	lbs.	 17.50

LAWNS — GRADE B

Especially recommended for dry gravelly soils, being high in organic content and retaining moisture during the dry season. Also highly beneficial as a lawn top dressing when worked into the turf as it contains no weed seeds.

1 bag average 80 lbs	
10 bags average 80 lbs. each	8.50
1 cu. yd. Bagged	
1—5 cu. yd. Bulk	

·Carload 20-40 cu. yd. Bulk. F. O. B. Branchville, Conn. \$5.00 cu. yd.

THE AMERICAN HORTICULTURAL SOCIETY

Publishes for its members a quarterly magazine in which are many articles and pictures of plants that should be known to all rock gardeners. You are cordially invited to join by sending your check for three dollars to the Secretary, Mr. C. C. Thomas, 211 Spruce Street, Takoma Park, D. C.

GARDENERS' CHRONICLE OF AMERICA

Reliable information on all phases of gardening, with special emphasis in each issue on rock gardening, alpine and native plants suitable for the American rock gardens. Published at 522 Fifth Avenue, New York, N. Y. Subscription two dollars a year.

GARDEN DIGEST

We have for several years highly recommended Garden Digest to our customers. It is one of the most useful and interesting magazines. It is pocket size. Just enclose a dollar bill to us or add one dollar to your order and we will see that Garden Digest is sent to you monthly for a whole year.

* * * * *

We recommend "PIONEERING WITH WILDFLOWERS" by George D. Aiken as being a splendid book for those interested in wildflowers. We will send this book postpaid for two dollars.

SUPPLEMENTARY LIST OF ROCK AND ALPINE PLANTS

	3 for
ACERATES-Pumila. An interesting plant with needle-like	
foliage covered with tiny white flowers. Spring. each 25c	.65
AJUGA—Tottenhami. Deep red foliage. 4 in. spikes of blue flowers. A lovely plant. Spring each 40c	1.10
ALLIUM—Eastern Lake County Sp. Lovely pink flowers tinted	1.10
lavender. Height 4 to 6 in. Summer dozen \$2.00	
ANTIRRHINUM—Glareosum. Profusion of lavender flowers	
on tiny bronzy foliage. Summer each 50c	1.40
ARTEMISIA—Filifolia (Sagebrush). Silvery foliage forming	1 40
neat compact clumps. Fine for a low hedge. Summer. ea. 50c	1.40
CERASTIUM—Arvense Compactum. A very compact form with white flowers. Rare and choice. New. Spring. each 60c	1.65
DELPHINIUM	1,00
Nudicaule Lemon Gem. A beautiful form with clear yellow	
flowers. New. Summer each 60c	1.65
Variegatum. Finely cut foliage. Large lavender-blue flowers. Height 14 in. Rare and fine. Spring and early summer. ea. 50c	1.40
DODECATHEON—Meadia. Dwarf Spring bloomer with pale	1.10
purple Cyclamen-like flowers each 30c	.85
ERYSIMUM—Pumilum. A rare dwarf with rosetted foliage	
and lovely yellow flowers. Summer each 35c	1.00
GEUM—Rivale Leonard's Var. Large nodding flowers of soft	
rose color. Early summer and again in autumn. Height 12 in each 60c	1.65
GORMANIA—Watsoni. Rosettes of fleshy foliage and golden	
blossoms. Spring and early summer each 40c	1.10
HEDERA-Minima. A very dwarf Ivy with close growing	
foliage each 75c	2.00
HEPATICA Acutiloba. Lavender-blue flowers passing into white and rose	
colored forms. North America. Early spring each 25c	.65
Triloba. Blue, rose or white blossoms. Early spring. each 25c	.65
HOUSTONIA—Caerulea. North American plant of creeping	
habit with small pale blue flowers. Spring each 25c	.65
IBERIS—Veventosicola. A rare miniature type of Iberis. White flowers on prostrate stems. A gem. Spring each 50c	1.40
JASIONE—Perennis. Compact heads of bright blue flowers.	1.40
Height 12' in. All summer each 25c	.65
LINARIA—Aequitriloba. A beautiful paving plant for shade.	100
Tiny lavender flowers. Spring each 50c	1.40
LYCHNIS—Haageana. A fine type with lovely scarlet flowers.	
Japan. Height 1 ft. Summer each 40c	1.10
MYOSOTIS—Lithospermifolia. Large deep blue flowers. Rare	
and fine. Spring each 50c	1.40

OREOCARYA—Glomerata. Spikes of snowy white flowers. Native alpine. Spring each 25c	.65
OROPHACA—Caespitosa. Small tufts of silvery foliage. Lavender blossoms. A native alpine gem. Spring. each 75c	2.00
PULMONARIA—Angustifolia Azurea. Lovely sky-blue flowers	
in early spring. Height 6 in each 40c	1.10
PYRETHRUM—Tchihatchewi, Dense ferny foliage of dark	
green. Daisy-like white flowers on 4 to 6 in. stems during	
spring and summer each 35c	1.00
SAXIFRAGA—Norvegica. Brilliant green foliage and charm-	
ing flowers. Spring each 50c	1.40
SCABIOSA—Parnassii. Compact tufts of grey foliage with	1 40
large pinky mauve flowers. Height 6 in. Summer. each 50c	1.40
SCUTELLARIA	
Alpina. A spreading plant 8 to 12 in high with large purple and white flowers. Summer each 40c	1.10
Indica Japonica. Delicate soft grey foliage and charming blue	1.10
flowers throughout the summer each 75c	2.00
SEDUM	2.00
Acre Minus. A miniature form of S. Acre each 50c	1.40
Semenovi. A rare and unusual type from Turkestan. White	1.40
flowers each 50c	1.40
Spathulifolium Rubrum. Beautiful spathulate foliage of a deep	
red color. Yellow flowers each 75c	2.00
Stribrnyi. A rare species from Bulgaria. Tufts of evergreen	1.40
foliage and effective yellow flowers each 50c SENECIO—Antennarifolius. Silvery foliage with brilliant	1.40
golden blossoms. Spring each 40c	1.10
SOLIDAGO-Cutleri. Miniature Goldenrod. Dainty yellow	
flowers. A lovely dwarf. Summer and early autumn. each 50c	1.40
THERMOPSIS—Rhombifolia. Very broad spikes of golden	
blossoms in May each 25c THALICTRUM—Minus Purpurascens. A delightful dwarf with	.65
ferny foliage and charming purple flowers. Spring. each 50c	1.40
THLASPI—Stylosum. A real miniature with charming lavender	1.10
flowers. Shade. Early spring each 50c	1.40
TOWNSENDIA—Sericea. A tiny miniature of T. Exscapa. Rare	
and fine. Spring each 75c	2.00
TRILLIUM—Grandiflorum. Enormous glistening white flowers. Very fine. Spring each 35c	.85
VIOLA	.03
Cucullata. Beautiful blue flowers. 4 in. Spring each 25c	.65
Flettii. One of the rarest of native Violas. Small bronzy	
leaves; lavender-rose flowers. Spring, early summer. ea. 75c	2.00
Nephrophylla. Heart-shaped leaves and deep blue flowers.	6.5
Native alpine for sun or shade, Spring each 25c Nuttallii. Brilliant golden flowers in early spring each 25c	.65 .65
Silverdale. A rare and charming dwarf which flowers through	.03
the entire year. Close compact foliage. Lovely deep purple	
blossoms with yellow eye each 50c	1.40



JOIN THE AMERICAN ROCK GARDEN SOCIETY

An organization truly North American in scope, which will deal intelligently with the varying climatic conditions in different sections of the country and concern itself with the practical matters of garden construction, plant selections and culture, as well as the esthetic ones of proper design.

Further particulars from Mrs. Dorothy E. Hansell, 522 Fifth Avenue, New York, N. Y.

COPYRIGHT, 1934
CRONAMERE ALPINE NURSERIES, INC.
GREENS FARMS, CONN.